

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 ALAMANCE		
Rank	Cause	#
1	MVT, Unintentional	21
2	Poisoning, Unintentional	14
3	Firearm, Self inflicted	13
4	Firearm, Assault	11
5	Drowning, Unintentional	4
	Other	16
<b>TOTAL</b>		<b>79</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 ALAMANCE		
Rank	Cause	#
1	Poisoning, Self inflicted	185
2	MVT, Unintentional	133
3	Poisoning, Unintentional	56
4	Fall, Unintentional	55
5	Unspecified, Unintentional;	33
	Other	255
<b>TOTAL</b>		<b>750</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 ALAMANCE		
Rank	Cause	#
1	MVT, Unintentional	1,850
2	Fall, Unintentional	1,383
3	Unspecified, Unintentional	999
4	Overexertion, Unintentional	811
5	Struck, Unintentional	792
	Other	3,040
<b>TOTAL</b>		<b>8,875</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 ALEXANDER		
Rank	Cause	#
1	Poisoning, Unintentional; Firearm,	4
2	MVT, Unintentional	3
3	Firearm, Assault	2
4	Suffocation, Self inflicted; Poisoning,	1
5	Other	0
<b>TOTAL</b>		<b>17</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 ALEXANDER		
Rank	Cause	#
1	MVT, Unintentional	31
2	Poisoning, Self inflicted	21
3	Other spec/class, Unintentional	9
4	Poisoning, Unintentional; Fall,	8
5	Poisoning, Undetermined;	7
	Other	38
<b>TOTAL</b>		<b>129</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 ALEXANDER		
Rank	Cause	#
1	Fall, Unintentional	690
2	MVT, Unintentional	549
3	Overexertion, Unintentional	435
4	Struck, Unintentional	405
5	Unspecified, Unintentional	314
	Other	1,241
<b>TOTAL</b>		<b>3,634</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 ALLEGHANY		
Rank	Cause	#
1	Poisoning, Unintentional	4
2	Suffocation, Self inflicted	2
3	Firearm, Undetermined; Firearm,	1
4		
5	Other	0
<b>TOTAL</b>		<b>9</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 ALLEGHANY		
Rank	Cause	#
1	MVT, Unintentional	8
2	Other spec/class, Unintentional	7
3	Transport,other, Unintentional	3
	Struck, Assault; Poisoning, Undetermined; Machinery, Unintentional; Fall, Unintentional	2
4	Unspecified, Unintentional; Poisoning, Self inflicted; Overexertion, Unintentional; Firearm, Self inflicted; Cut/pierce, Self inflicted	1
5	Other	0
<b>TOTAL</b>		<b>31</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 ALLEGHANY		
Rank	Cause	#
1	Fall, Unintentional	119
2	Unspecified, Unintentional	69
3	MVT, Unintentional	61
	Struck, Unintentional	57
4	Overexertion, Unintentional	41
5	Other	200
<b>TOTAL</b>		<b>547</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 ANSON		
Rank	Cause	#
1	Firearm, Assault	6
2	MVT, Unintentional	5
3	Suffocation, Self inflicted; Firearm,	2
4	Transport,other, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>18</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 ANSON		
Rank	Cause	#
1	MVT, Unintentional	29
2	Poisoning, Self inflicted	11
3	Other spec/class, Unintentional;	6
4	Firearm, Assault; Cut/pierce,	5
5	Poisoning, Unintentional; Other Other	4
		24
<b>TOTAL</b>		<b>104</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 ANSON		
Rank	Cause	#
1	MVT, Unintentional	452
2	Fall, Unintentional	341
3	Overexertion, Unintentional	289
4	Struck, Unintentional	255
5	Unspecified, Unintentional Other	251
		837
<b>TOTAL</b>		<b>2,425</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 ASHE		
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	6
2	Firearm, Self inflicted	5
3	Other spec/NEC, Self inflicted;	1
4		
5	Other	0
<b>TOTAL</b>		<b>19</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 ASHE		
Rank	Cause	#
1	Poisoning, Self inflicted	22
2	MVT, Unintentional	17
3	Fall, Unintentional	11
4	Transport,other, Unintentional	10
5	Poisoning, Undetermined	8
	Other	25
<b>TOTAL</b>		<b>93</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 ASHE		
Rank	Cause	#
1	Fall, Unintentional	429
2	Struck, Unintentional	302
3	Overexertion, Unintentional	283
4	MVT, Unintentional	271
5	Unspecified, Unintentional	248
	Other	825
<b>TOTAL</b>		<b>2,358</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 AVERY		
Rank	Cause	#
1	Poisoning, Unintentional	3
2	Firearm, Self inflicted	2
	Suffocation, Unintentional	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>6</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 AVERY		
Rank	Cause	#
1	Fall, Unintentional	8
2	Poisoning, Self inflicted; MVT, Struck, Unintentional; Other	6
	spec/class, Unintentional	4
3	Unspecified, Unintentional;	3
4	Natural/Environ, Unintentional	
5	Poisoning, Unintentional	2
	Other	8
<b>TOTAL</b>		<b>44</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 AVERY		
Rank	Cause	#
1	Fall, Unintentional	476
2	Overexertion, Unintentional	292
	Struck, Unintentional	224
3		
	MVT, Unintentional	223
4		
5	Cut/pierce, Unintentional	204
	Other	617
<b>TOTAL</b>		<b>2,036</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 BEAUFORT		
Rank	Cause	#
1	MVT, Unintentional	10
2	Poisoning, Unintentional	6
3	Firearm, Self inflicted	2
4	Unspecified, Assault; Suffocation,	1
5	Other	0
<b>TOTAL</b>		<b>24</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 BEAUFORT		
Rank	Cause	#
1	Poisoning, Self inflicted	42
2	MVT, Unintentional	32
3	Poisoning, Unintentional	13
4	Cut/pierce, Self inflicted	10
	Fire/Burn, Unintentional; Fall,	8
5	Unintentional	
	Other	57
<b>TOTAL</b>		<b>170</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 BEAUFORT		
Rank	Cause	#
1	Fall, Unintentional	796
2	MVT, Unintentional	795
3	Unspecified, Unintentional	565
4	Overexertion, Unintentional	544
	Struck, Unintentional	537
5	Other	1,746
<b>TOTAL</b>		<b>4,983</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 BERTIE		
Rank	Cause	#
1	MVT, Unintentional	3
2	Transport,other, Unintentional;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 BERTIE		
Rank	Cause	#
1	MVT, Unintentional	29
2	Poisoning, Self inflicted	7
	Poisoning, Unintentional; Firearm,	6
3	Assault	
4	Unspecified, Unintentional	5
	Fall, Unintentional; Cut/pierce,	4
5	Assault	
	Other	17
<b>TOTAL</b>		<b>78</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 BERTIE		
Rank	Cause	#
1	MVT, Unintentional	362
2	Fall, Unintentional	229
	Unspecified, Unintentional	211
3		
4	Struck, Unintentional	169
	Overexertion, Unintentional	138
5	Other	713
<b>TOTAL</b>		<b>1,822</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 BLADEN		
Rank	Cause	#
1	MVT, Unintentional	12
	Poisoning, Unintentional	4
2		
3	Firearm, Self inflicted; Firearm,	3
4	Unspecified, Unintentional;	1
5		
	Other	0
<b>TOTAL</b>		<b>24</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 BLADEN		
Rank	Cause	#
1	MVT, Unintentional	44
	Unspecified, Unintentional; Poisoning, Unintentional; Other spec/class, Unintentional	14
2		
3	Poisoning, Self inflicted	12
4	Struck, Assault	11
	Natural/Environ, Unintentional;	10
5	Fall, Unintentional	
	Other	44
<b>TOTAL</b>		<b>173</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 BLADEN		
Rank	Cause	#
1	MVT, Unintentional	713
	Fall, Unintentional	470
2		
3	Unspecified, Unintentional	406
4	Overexertion, Unintentional	363
	Struck, Unintentional	308
5		
	Other	1,112
<b>TOTAL</b>		<b>3,372</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 BRUNSWICK		
Rank	Cause	#
1	Poisoning, Unintentional	24
2	MVT, Unintentional	23
3	Firearm, Self inflicted	6
4	Suffocation, Self inflicted; Firearm, Suffocation, Assault; Poisoning, Undetermined; Poisoning, Self inflicted; Firearm, Legal intervention; Fall, Unintentional; Drowning, Unintentional	3
		1
5		
	Other	0
<b>TOTAL</b>		<b>65</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 BRUNSWICK		
Rank	Cause	#
1	MVT, Unintentional	90
2	Poisoning, Self inflicted	53
3	Poisoning, Unintentional	26
4	Fall, Unintentional	23
	Other spec/class, Unintentional	21
5		
	Other	120
<b>TOTAL</b>		<b>333</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 BRUNSWICK		
Rank	Cause	#
1	Fall, Unintentional	1,478
2	Overexertion, Unintentional	1,202
3	MVT, Unintentional	1,152
4	Struck, Unintentional	933
	Unspecified, Unintentional	675
5		
	Other	2,753
<b>TOTAL</b>		<b>8,193</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 BUNCOMBE		
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	31
2	Firearm, Self inflicted	21
3	Suffocation, Self inflicted	6
4	Cut/pierce, Assault	4
	Poisoning, Self inflicted; Fall,	3
5	Unintentional; Drowning,	
	Unintentional	
	Other	14
<b>TOTAL</b>		<b>116</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 BUNCOMBE		
Rank	Cause	#
1	MVT, Unintentional	164
2	Poisoning, Self inflicted	152
3	Fall, Unintentional	125
4	Cut/pierce, Self inflicted	58
	Poisoning, Unintentional	53
5		
	Other	343
<b>TOTAL</b>		<b>895</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 BUNCOMBE		
Rank	Cause	#
1	MVT, Unintentional	1,569
2	Fall, Unintentional	1,372
3	Struck, Unintentional	570
4	Unspecified, Unintentional	546
	Overexertion, Unintentional	534
5		
	Other	2,551
<b>TOTAL</b>		<b>7,142</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 BURKE		
Rank	Cause	#
1	Poisoning, Unintentional	26
2	MVT, Unintentional	14
3	Firearm, Self inflicted	6
4	Suffocation, Self inflicted	4
	Unspecified, Unintentional;	1
	Unspecified, Assault;	
	Pedestrian,other, Unintentional;	
	Other spec/NEC, Self inflicted;	
5	Drowning, Unintentional	
	Other	0
<b>TOTAL</b>		<b>55</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 BURKE		
Rank	Cause	#
1	Poisoning, Self inflicted	77
2	MVT, Unintentional	40
3	Poisoning, Unintentional	26
4	Other spec/class, Unintentional	23
	Fall, Unintentional	22
5		
	Other	133
<b>TOTAL</b>		<b>321</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 BURKE		
Rank	Cause	#
1	Fall, Unintentional	1,990
2	MVT, Unintentional	1,417
3	Overexertion, Unintentional	1,310
4	Struck, Unintentional	1,260
	Unspecified, Unintentional	882
5		
	Other	3,490
<b>TOTAL</b>		<b>10,349</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 CABARRUS		
Rank	Cause	#
1	Poisoning, Unintentional	27
2	MVT, Unintentional	15
3	Firearm, Assault	9
4	Suffocation, Self inflicted	7
5	Firearm, Self inflicted	6
	Other	14
<b>TOTAL</b>		<b>78</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 CABARRUS		
Rank	Cause	#
1	MVT, Unintentional	100
2	Poisoning, Self inflicted	84
3	Poisoning, Unintentional	72
4	Fall, Unintentional	50
5	Other spec/class, Unintentional	30
	Other	170
<b>TOTAL</b>		<b>506</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 CABARRUS		
Rank	Cause	#
1	MVT, Unintentional	2,483
2	Fall, Unintentional	1,781
3	Overexertion, Unintentional	1,555
4	Struck, Unintentional	1,309
5	Unspecified, Unintentional	866
	Other	3,913
<b>TOTAL</b>		<b>11,907</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 CALDWELL		
Rank	Cause	#
1	MVT, Unintentional	17
2	Poisoning, Unintentional	10
3	Firearm, Self inflicted	9
4	Poisoning, Self inflicted; Firearm,	5
5	Suffocation, Self inflicted	4
	Other	9
<b>TOTAL</b>		<b>59</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 CALDWELL		
Rank	Cause	#
1	Poisoning, Self inflicted	55
2	MVT, Unintentional	54
3	Poisoning, Unintentional	28
4	Fall, Unintentional	24
5	Other spec/class, Unintentional	21
	Other	81
<b>TOTAL</b>		<b>263</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 CALDWELL		
Rank	Cause	#
1	Fall, Unintentional	2,128
2	MVT, Unintentional	1,473
3	Struck, Unintentional	1,216
4	Overexertion, Unintentional	1,179
5	Cut/pierce, Unintentional	807
	Other	3,158
<b>TOTAL</b>		<b>9,961</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 CAMDEN		
Rank	Cause	#
1	Firearm, Self inflicted	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>1</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 CAMDEN		
Rank	Cause	#
1	Poisoning, Self inflicted	4
	Unspecified, Unintentional; MVT, Unintentional; Fall, Unintentional	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>7</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 CAMDEN		
Rank	Cause	#
1	MVT, Unintentional	33
	Fall, Unintentional	16
2		
3	Unspecified, Unintentional	11
4	Transport,other, Unintentional Struck, Unintentional;	9 8
5	Natural/Environ, Unintentional Other	23
<b>TOTAL</b>		<b>108</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 CARTERET		
Rank	Cause	#
1	Poisoning, Unintentional	14
2	MVT, Unintentional	7
3	Suffocation, Self inflicted	6
4	Firearm, Self inflicted	5
	Unspecified, Assault; Firearm, Assault	1
5	Other	0
<b>TOTAL</b>		<b>34</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 CARTERET		
Rank	Cause	#
1	Poisoning, Self inflicted	54
2	MVT, Unintentional	39
3	Fall, Unintentional	22
4	Poisoning, Unintentional	16
	Unspecified, Unintentional; Poisoning, Undetermined; Other spec/class, Unintentional	11
5	Other	79
<b>TOTAL</b>		<b>243</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 CARTERET		
Rank	Cause	#
1	Fall, Unintentional	1,261
2	Struck, Unintentional	889
3	MVT, Unintentional	859
4	Overexertion, Unintentional Unspecified, Unintentional	808 774
5	Other	2,751
<b>TOTAL</b>		<b>7,342</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 CASWELL		
Rank	Cause	#
1	MVT, Unintentional	5
2	Firearm, Self inflicted	2
3	Poisoning, Unintentional; Other land	1
4		
5	Other	0
<b>TOTAL</b>		<b>9</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 CASWELL		
Rank	Cause	#
1	MVT, Unintentional	15
2	Poisoning, Self inflicted	7
3	Fire/Burn, Unintentional	6
4	Other spec/class, Unintentional	4
	Transport,other, Unintentional;	3
5	Overexertion, Unintentional	
	Other	15
<b>TOTAL</b>		<b>53</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 CASWELL		
Rank	Cause	#
1	MVT, Unintentional	154
2	Fall, Unintentional	150
3	Overexertion, Unintentional	114
4	Struck, Unintentional	89
	Unspecified, Unintentional	88
5	Other	317
<b>TOTAL</b>		<b>912</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 CATAWBA		
Rank	Cause	#
1	MVT, Unintentional	20
2	Poisoning, Unintentional	18
3	Firearm, Self inflicted	12
4	Firearm, Assault	11
	Suffocation, Self inflicted;	5
5	Cut/pierce, Assault	
	Other	12
<b>TOTAL</b>		<b>83</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 CATAWBA		
Rank	Cause	#
1	MVT, Unintentional	115
2	Poisoning, Self inflicted	104
3	Cut/pierce, Self inflicted	42
4	Fall, Unintentional	37
	Other spec/class, Unintentional	35
5	Other	207
<b>TOTAL</b>		<b>540</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 CATAWBA		
Rank	Cause	#
1	Fall, Unintentional	3,133
2	MVT, Unintentional	2,511
3	Overexertion, Unintentional	1,845
4	Struck, Unintentional	1,810
	Unspecified, Unintentional	1,465
5	Other	5,610
<b>TOTAL</b>		<b>16,374</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 CHATHAM		
Rank	Cause	#
1	MVT, Unintentional	15
2	Poisoning, Unintentional	11
3	Suffocation, Self inflicted; Firearm,	2
4	Poisoning, Self inflicted; Firearm,	1
5	Other	0
<b>TOTAL</b>		<b>32</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 CHATHAM		
Rank	Cause	#
1	MVT, Unintentional	36
2	Poisoning, Unintentional	18
3	Poisoning, Self inflicted	16
4	Other spec/class, Unintentional;	9
5	Transport,other, Unintentional	8
	Other	41
<b>TOTAL</b>		<b>137</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 CHATHAM		
Rank	Cause	#
1	MVT, Unintentional	448
2	Fall, Unintentional	386
3	Overexertion, Unintentional	297
4	Struck, Unintentional	277
5	Unspecified, Unintentional	244
	Other	1,000
<b>TOTAL</b>		<b>2,652</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 CHEROKEE		
Rank	Cause	#
1	Poisoning, Unintentional	8
	MVT, Unintentional	3
2	Firearm, Self inflicted	2
3	Unspecified, Unintentional;	1
4	Other	0
<b>TOTAL</b>		<b>19</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 CHEROKEE		
Rank	Cause	#
1	Poisoning, Unintentional	19
	Poisoning, Self inflicted; Fall, Unintentional	9
2	Other spec/class, Unintentional;	6
3	MVT, Unintentional	5
4	Natural/Environ, Unintentional	2
	Unspecified, Unintentional; Struck, Assault; Other spec/notclass, Unintentional; Other spec/notclass, Assault;	8
5	Cut/pierce, Self inflicted	8
	Other	8
<b>TOTAL</b>		<b>72</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 CHEROKEE		
Rank	Cause	#
1	Fall, Unintentional	198
	MVT, Unintentional	82
2	Unspecified, Unintentional	74
3	Struck, Unintentional	65
4	Overexertion, Unintentional	53
5	Other	278
<b>TOTAL</b>		<b>750</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 CHOWAN		
Rank	Cause	#
1	MVT, Unintentional	4
2	Firearm, Assault	2
	Unspecified, Unintentional	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>7</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 CHOWAN		
Rank	Cause	#
1	MVT, Unintentional	9
2	Poisoning, Self inflicted	5
	Poisoning, Unintentional; Firearm,	3
3	Assault	
4	Unspecified, Unintentional; Other	2
	Transport,other, Unintentional;	1
	Pedal cyclist,other, Unintentional;	
	Firearm, Unintentional; Fire/Burn,	
	Unintentional	
5	Other	0
<b>TOTAL</b>		<b>34</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 CHOWAN		
Rank	Cause	#
1	MVT, Unintentional	199
2	Unspecified, Unintentional	197
	Fall, Unintentional	161
3		
4	Overexertion, Unintentional	128
	Struck, Unintentional	124
5	Other	410
<b>TOTAL</b>		<b>1,219</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 CLAY		
Rank	Cause	#
	Poisoning, Unintentional	3
1	Firearm, Assault	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>4</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 CLAY		
Rank	Cause	#
	Transport,other, Unintentional;	2
	Poisoning, Unintentional;	
	Poisoning, Self inflicted;	
1	Cut/pierce, Unintentional	
	Unspecified, Unintentional; Other	1
	spec/notclass, Unintentional;	
	Other spec/notclass, Self inflicted;	
	Natural/Environ, Unintentional;	
	MVT, Unintentional; Firearm,	
	Unintentional; Fall, Unintentional	
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>15</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 CLAY		
Rank	Cause	#
	Fall, Unintentional	43
1	MVT, Unintentional	30
2		
3	Overexertion, Unintentional	18
4	Unspecified, Unintentional	17
5	Struck, Unintentional	10
	Other	62
<b>TOTAL</b>		<b>180</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 CLEVELAND		
Rank	Cause	#
1	MVT, Unintentional	13
2	Poisoning, Unintentional	11
3	Firearm, Self inflicted	9
4	Firearm, Assault	7
5	Suffocation, Self inflicted	6
	Other	5
<b>TOTAL</b>		<b>51</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 CLEVELAND		
Rank	Cause	#
1	Poisoning, Self inflicted	85
2	MVT, Unintentional	75
3	Poisoning, Unintentional	43
4	Fall, Unintentional	31
5	Other spec/class, Unintentional	21
	Other	166
<b>TOTAL</b>		<b>421</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 CLEVELAND		
Rank	Cause	#
1	Fall, Unintentional	2,157
2	MVT, Unintentional	2,096
3	Overexertion, Unintentional	1,549
4	Unspecified, Unintentional	1,334
5	Struck, Unintentional	1,311
	Other	4,574
<b>TOTAL</b>		<b>13,021</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 COLUMBUS		
Rank	Cause	#
1	MVT, Unintentional	18
2	Poisoning, Unintentional; Firearm, Firearm, Self inflicted	9
3		4
4	Unspecified, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>46</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 COLUMBUS		
Rank	Cause	#
1	MVT, Unintentional	75
2	Other spec/class, Unintentional	28
3	Poisoning, Self inflicted; Fall, Unintentional	25
4	Poisoning, Unintentional	24
5	Unspecified, Unintentional	14
	Other	94
<b>TOTAL</b>		<b>285</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 COLUMBUS		
Rank	Cause	#
1	MVT, Unintentional	1,193
2	Fall, Unintentional	817
	Overexertion, Unintentional	791
3		
4	Struck, Unintentional	552
5	Unspecified, Unintentional	527
	Other	1,983
<b>TOTAL</b>		<b>5,863</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 CRAVEN		
Rank	Cause	#
1	MVT, Unintentional	16
2	Poisoning, Unintentional; Firearm, Suffocation, Self inflicted	15
3	Firearm, Assault	6
4	Other land transport, Unintentional;	5
5	Fall, Unintentional	1
	Other	0
<b>TOTAL</b>		<b>59</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 CRAVEN		
Rank	Cause	#
1	Poisoning, Self inflicted	126
2	MVT, Unintentional	88
	Other spec/class, Unintentional;	29
3	Cut/pierce, Self inflicted	
4	Fall, Unintentional	28
	Poisoning, Unintentional	25
5	Other	165
<b>TOTAL</b>		<b>490</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 CRAVEN		
Rank	Cause	#
1	Fall, Unintentional	1,664
2	Overexertion, Unintentional	1,468
	MVT, Unintentional	1,420
3	Struck, Unintentional	1,414
4	Unspecified, Unintentional	1,297
5	Other	4,065
<b>TOTAL</b>		<b>11,328</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 CUMBERLAND		
Rank	Cause	#
1	MVT, Unintentional	76
2	Firearm, Assault	59
3	Firearm, Self inflicted	49
4	Poisoning, Unintentional	47
5	Suffocation, Self inflicted	18
	Other	54
<b>TOTAL</b>		<b>303</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 CUMBERLAND		
Rank	Cause	#
1	MVT, Unintentional	361
2	Poisoning, Self inflicted	281
3	Unspecified, Unintentional	175
4	Fall, Unintentional	103
5	Firearm, Assault	95
	Other	774
<b>TOTAL</b>		<b>1,789</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 CUMBERLAND		
Rank	Cause	#
1	MVT, Unintentional	5,488
2	Unspecified, Unintentional	3,088
3	Fall, Unintentional	2,745
4	Struck, Unintentional	1,989
5	Overexertion, Unintentional	1,892
	Other	7,592
<b>TOTAL</b>		<b>22,794</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 CURRITUCK		
Rank	Cause	#
1	MVT, Unintentional	5
2	Transport,other, Unintentional;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>11</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 CURRITUCK		
Rank	Cause	#
1	Poisoning, Self inflicted	4
2	Poisoning, Unintentional	3
3	Transport,other, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>15</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 CURRITUCK		
Rank	Cause	#
1	Fall, Unintentional	106
2	MVT, Unintentional	91
3	Unspecified, Unintentional;	53
4	Struck, Unintentional	52
5	Overexertion, Unintentional	49
	Other	142
<b>TOTAL</b>		<b>546</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 DARE		
Rank	Cause	#
1	Firearm, Self inflicted	5
	Poisoning, Unintentional	4
2		
3	Suffocation, Self inflicted; MVT,	3
4	Transport,other, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>19</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 DARE		
Rank	Cause	#
1	Other spec/class, Unintentional; Fall, Unintentional	5
	Unspecified, Unintentional; Poisoning, Self inflicted; MVT, Unintentional	4
2		
3	Transport,other, Unintentional	2
4	Poisoning, Undetermined; Other	1
5	Other	0
<b>TOTAL</b>		<b>28</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 DARE		
Rank	Cause	#
1	Fall, Unintentional	348
	MVT, Unintentional	208
2		
3	Cut/pierce, Unintentional	193
4	Struck, Unintentional	190
5	Unspecified, Unintentional	167
	Other	681
<b>TOTAL</b>		<b>1,787</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 DAVIDSON		
Rank	Cause	#
1	Poisoning, Unintentional	29
2	MVT, Unintentional	23
3	Firearm, Self inflicted	8
4	Suffocation, Self inflicted; Firearm,	6
5	Suffocation, Unintentional	3
	Other	14
<b>TOTAL</b>		<b>89</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 DAVIDSON		
Rank	Cause	#
1	MVT, Unintentional	125
2	Poisoning, Self inflicted	86
3	Poisoning, Unintentional	45
4	Fall, Unintentional	35
5	Other spec/class, Unintentional	27
	Other	162
<b>TOTAL</b>		<b>480</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 DAVIDSON		
Rank	Cause	#
1	Fall, Unintentional	3,443
2	Overexertion, Unintentional	3,064
3	MVT, Unintentional	2,586
4	Unspecified, Unintentional	2,452
5	Struck, Unintentional	2,134
	Other	6,029
<b>TOTAL</b>		<b>19,708</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 DAVIE		
Rank	Cause	#
1	MVT, Unintentional	6
2	Poisoning, Unintentional; Firearm,	4
3	Suffocation, Self inflicted	2
4	Poisoning, Self inflicted; Firearm,	1
5	Other	0
<b>TOTAL</b>		<b>20</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 DAVIE		
Rank	Cause	#
1	Poisoning, Self inflicted	23
2	MVT, Unintentional	14
3	Fall, Unintentional	13
4	Poisoning, Unintentional	7
5	Other spec/class, Unintentional	6
	Other	37
<b>TOTAL</b>		<b>100</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 DAVIE		
Rank	Cause	#
1	Fall, Unintentional	357
2	MVT, Unintentional	348
3	Unspecified, Unintentional	200
4	Overexertion, Unintentional	194
5	Struck, Unintentional	176
	Other	609
<b>TOTAL</b>		<b>1,884</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 DUPLIN		
Rank	Cause	#
1	MVT, Unintentional	9
2	Poisoning, Unintentional	7
3	Firearm, Self inflicted	4
4	Suffocation, Self inflicted	3
	Suffocation, Unintentional; Poisoning, Self inflicted; Firearm,	1
5	Assault	
	Other	0
<b>TOTAL</b>		<b>26</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 DUPLIN		
Rank	Cause	#
1	MVT, Unintentional	58
2	Poisoning, Self inflicted	25
3	Fall, Unintentional	15
4	Fire/Burn, Unintentional	12
	Other spec/class, Unintentional	11
5		
	Other	97
<b>TOTAL</b>		<b>218</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 DUPLIN		
Rank	Cause	#
1	MVT, Unintentional	986
2	Unspecified, Unintentional	657
3	Fall, Unintentional	580
4	Overexertion, Unintentional	421
	Struck, Unintentional	331
5		
	Other	1,367
<b>TOTAL</b>		<b>4,342</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 DURHAM		
Rank	Cause	#
1	Firearm, Assault	49
2	MVT, Unintentional	27
3	Poisoning, Unintentional	22
4	Suffocation, Self inflicted;	8
5	Firearm, Self inflicted	7
	Other	15
<b>TOTAL</b>		<b>136</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 DURHAM		
Rank	Cause	#
1	MVT, Unintentional	185
2	Poisoning, Self inflicted	151
3	Fall, Unintentional	99
4	Firearm, Assault	72
5	Other spec/class, Unintentional	58
	Other	448
<b>TOTAL</b>		<b>1,013</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 DURHAM		
Rank	Cause	#
1	MVT, Unintentional	4,550
2	Fall, Unintentional	2,200
3	Overexertion, Unintentional	1,660
4	Struck, Unintentional	1,456
5	Unspecified, Unintentional	1,293
	Other	6,158
<b>TOTAL</b>		<b>17,317</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 EDGECOMBE		
Rank	Cause	#
1	Firearm, Assault	12
2	MVT, Unintentional	7
3	Poisoning, Unintentional	5
	Poisoning, Self inflicted	3
4		
5	Cut/pierce, Assault	2
	Other	3
<b>TOTAL</b>		<b>32</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 EDGECOMBE		
Rank	Cause	#
1	MVT, Unintentional	60
2	Poisoning, Self inflicted	59
3	Firearm, Assault	26
	Poisoning, Unintentional; Other	19
4	spec/class, Unintentional	
5	Cut/pierce, Self inflicted	18
	Other	99
<b>TOTAL</b>		<b>300</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 EDGECOMBE		
Rank	Cause	#
1	MVT, Unintentional	636
2	Fall, Unintentional	350
3	Unspecified, Unintentional	320
	Overexertion, Unintentional	267
4		
5	Struck, Unintentional	246
	Other	1,096
<b>TOTAL</b>		<b>2,915</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 FORSYTH		
Rank	Cause	#
1	MVT, Unintentional	40
2	Poisoning, Unintentional	34
3	Firearm, Assault	24
4	Firearm, Self inflicted	12
5	Suffocation, Self inflicted	10
	Other	26
<b>TOTAL</b>		<b>146</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 FORSYTH		
Rank	Cause	#
1	MVT, Unintentional	279
2	Poisoning, Self inflicted	247
3	Fall, Unintentional	112
4	Poisoning, Unintentional	72
5	Poisoning, Undetermined	58
	Other	476
<b>TOTAL</b>		<b>1,244</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 FORSYTH		
Rank	Cause	#
1	MVT, Unintentional	4,907
2	Fall, Unintentional	4,087
3	Overexertion, Unintentional	3,040
4	Struck, Unintentional	2,701
5	Unspecified, Unintentional	2,495
	Other	8,809
<b>TOTAL</b>		<b>26,039</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 FRANKLIN		
Rank	Cause	#
1	MVT, Unintentional	12
2	Poisoning, Unintentional; Firearm,	7
3	Firearm, Assault	6
4	Suffocation, Self inflicted; Fire/Burn,	2
	Other spec/NEC, Self inflicted;	1
	Other land transport, Unintentional;	
	Drowning, Unintentional	
5	Other	0
<b>TOTAL</b>		<b>39</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 FRANKLIN		
Rank	Cause	#
1	MVT, Unintentional	33
2	Poisoning, Self inflicted	25
3	Poisoning, Unintentional	16
4	Fire/Burn, Unintentional	13
	Fall, Unintentional	12
5	Other	68
<b>TOTAL</b>		<b>167</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 FRANKLIN		
Rank	Cause	#
1	MVT, Unintentional	774
2	Fall, Unintentional	494
3	Overexertion, Unintentional	463
4	Unspecified, Unintentional	438
	Struck, Unintentional	384
5	Other	1,141
<b>TOTAL</b>		<b>3,694</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 GASTON		
Rank	Cause	#
1	Poisoning, Unintentional	40
2	MVT, Unintentional	28
3	Firearm, Assault	13
4	Suffocation, Self inflicted	6
5	Firearm, Self inflicted	5
	Other	15
<b>TOTAL</b>		<b>107</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 GASTON		
Rank	Cause	#
1	Poisoning, Self inflicted	253
2	MVT, Unintentional	132
3	Poisoning, Unintentional	86
4	Fall, Unintentional	76
5	Other spec/class, Unintentional	50
	Other	329
<b>TOTAL</b>		<b>926</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 GASTON		
Rank	Cause	#
1	MVT, Unintentional	3,991
2	Fall, Unintentional	3,988
3	Overexertion, Unintentional	2,747
4	Struck, Unintentional	2,372
5	Unspecified, Unintentional	1,711
	Other	7,117
<b>TOTAL</b>		<b>21,926</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 GATES		
Rank	Cause	#
1	MVT, Unintentional	2
2	Poisoning, Self inflicted;	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>4</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 GATES		
Rank	Cause	#
1	Poisoning, Unintentional	3
2	Poisoning, Self inflicted; MVT, Suffocation, Unintentional; Other spec/class, Unintentional;	2 1
3	Natural/Environ, Unintentional	
4		
5		
	Other	0
<b>TOTAL</b>		<b>10</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 GATES		
Rank	Cause	#
1	Struck, Unintentional	43
2	MVT, Unintentional; Fall, Cut/pierce, Unintentional	39 28
3		
4	Overexertion, Unintentional	24
5	Natural/Environ, Unintentional	23
	Other	81
<b>TOTAL</b>		<b>277</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 GRAHAM		
Rank	Cause	#
1	Poisoning, Unintentional	5
2	Firearm, Self inflicted	2
3	Poisoning, Undetermined; Other	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>12</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 GRAHAM		
Rank	Cause	#
1	MVT, Unintentional	10
2	Poisoning, Unintentional;	9
3	Poisoning, Self inflicted	
4	Other spec/class, Unintentional	8
5	Unspecified, Unintentional	5
	Other spec/notclass,	3
	Unintentional	
	Other	11
<b>TOTAL</b>		<b>55</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 GRAHAM		
Rank	Cause	#
1	Fall, Unintentional	124
2	MVT, Unintentional	98
3	Overexertion, Unintentional	93
4	Unspecified, Unintentional	66
5	Struck, Unintentional	62
	Other	210
<b>TOTAL</b>		<b>653</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 GRANVILLE		
Rank	Cause	#
1	MVT, Unintentional	9
2	Poisoning, Unintentional	7
3	Firearm, Self inflicted	4
4	Firearm, Assault	3
5	Suffocation, Self inflicted	1
	Other	0
<b>TOTAL</b>		<b>24</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 GRANVILLE		
Rank	Cause	#
1	MVT, Unintentional	47
2	Poisoning, Self inflicted	26
3	Other spec/class, Unintentional	20
4	Fall, Unintentional	13
5	Poisoning, Unintentional	12
	Other	68
<b>TOTAL</b>		<b>186</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 GRANVILLE		
Rank	Cause	#
1	MVT, Unintentional	667
2	Fall, Unintentional	546
3	Overexertion, Unintentional	448
4	Struck, Unintentional	384
5	Cut/pierce, Unintentional	256
	Other	1,266
<b>TOTAL</b>		<b>3,567</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 GREENE		
Rank	Cause	#
1	MVT, Unintentional	5
2	Firearm, Assault	4
3	Poisoning, Unintentional	3
4	Suffocation, Self inflicted; Firearm,	1
5	Other	0
<b>TOTAL</b>		<b>16</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 GREENE		
Rank	Cause	#
1	MVT, Unintentional	21
2	Poisoning, Self inflicted	12
3	Other spec/class, Unintentional	10
4	Fall, Unintentional	8
5	Transport,other, Unintentional	4
	Other	34
<b>TOTAL</b>		<b>89</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 GREENE		
Rank	Cause	#
1	MVT, Unintentional	283
2	Fall, Unintentional	199
3	Overexertion, Unintentional	168
4	Unspecified, Unintentional	157
5	Struck, Unintentional	139
	Other	528
<b>TOTAL</b>		<b>1,474</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 GUILFORD		
Rank	Cause	#
1	MVT, Unintentional	62
2	Poisoning, Unintentional	49
3	Firearm, Assault	48
4	Firearm, Self inflicted	26
5	Suffocation, Self inflicted	13
	Other	43
<b>TOTAL</b>		<b>241</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 GUILFORD		
Rank	Cause	#
1	Poisoning, Self inflicted	586
2	MVT, Unintentional	297
3	Fall, Unintentional	179
4	Poisoning, Unintentional	99
5	Unspecified, Unintentional	85
	Other	782
<b>TOTAL</b>		<b>2,028</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 GUILFORD		
Rank	Cause	#
1	MVT, Unintentional	4,959
2	Fall, Unintentional	3,468
3	Unspecified, Unintentional	2,382
4	Struck, Unintentional	2,235
5	Overexertion, Unintentional	1,878
	Other	8,856
<b>TOTAL</b>		<b>23,778</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 HALIFAX		
Rank	Cause	#
1	Firearm, Assault	18
2	MVT, Unintentional	16
3	Firearm, Self inflicted	6
4	Poisoning, Unintentional	4
	Other spec/class, Unintentional; Fire/Burn, Unintentional; Cut/pierce,	2
5	Assault	
	Other	4
<b>TOTAL</b>		<b>54</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 HALIFAX		
Rank	Cause	#
1	Poisoning, Self inflicted	72
2	MVT, Unintentional	59
3	Cut/pierce, Self inflicted	21
4	Firearm, Assault	20
	Fall, Unintentional	15
5		
	Other	121
<b>TOTAL</b>		<b>308</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 HALIFAX		
Rank	Cause	#
1	MVT, Unintentional	1,278
2	Unspecified, Unintentional	1,018
3	Fall, Unintentional	925
4	Other spec/notclass, Unintentional Struck, Unintentional	605
		554
5		
	Other	2,806
<b>TOTAL</b>		<b>7,186</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 HARNETT		
Rank	Cause	#
1	MVT, Unintentional	20
2	Firearm, Assault	19
3	Firearm, Self inflicted	12
4	Poisoning, Unintentional	11
5	Suffocation, Self inflicted	4
	Other	11
<b>TOTAL</b>		<b>77</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 HARNETT		
Rank	Cause	#
1	Poisoning, Self inflicted; MVT, Unintentional	75
2	Poisoning, Unintentional	45
3	Other spec/class, Unintentional	42
4	Fall, Unintentional	26
5	Natural/Environ, Unintentional	20
	Other	163
<b>TOTAL</b>		<b>446</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 HARNETT		
Rank	Cause	#
1	MVT, Unintentional	1,514
2	Unspecified, Unintentional	1,399
3	Fall, Unintentional	1,223
4	Overexertion, Unintentional	971
5	Struck, Unintentional	815
	Other	2,722
<b>TOTAL</b>		<b>8,644</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 HAYWOOD		
Rank	Cause	#
1	Poisoning, Unintentional	15
2	MVT, Unintentional	7
3	Firearm, Self inflicted	6
4	Suffocation, Self inflicted; Firearm, Suffocation, Unintentional; Natural/Environ, Unintentional;	2
		1
5	Fire/Burn, Unintentional	
	Other	0
<b>TOTAL</b>		<b>35</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 HAYWOOD		
Rank	Cause	#
1	Poisoning, Self inflicted	42
2	MVT, Unintentional	35
3	Fall, Unintentional	16
4	Poisoning, Unintentional	14
	Poisoning, Undetermined	12
5		
	Other	79
<b>TOTAL</b>		<b>198</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 HAYWOOD		
Rank	Cause	#
1	Fall, Unintentional	962
2	Unspecified, Unintentional	712
3	MVT, Unintentional	629
4	Overexertion, Unintentional	480
	Cut/pierce, Unintentional	408
5		
	Other	1,713
<b>TOTAL</b>		<b>4,904</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 HENDERSON		
Rank	Cause	#
1	Poisoning, Unintentional	22
2	MVT, Unintentional	12
3	Firearm, Self inflicted	6
4	Suffocation, Self inflicted	3
	Poisoning, Undetermined; Firearm, Assault; Drowning, Unintentional	2
5	Other	4
<b>TOTAL</b>		<b>53</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 HENDERSON		
Rank	Cause	#
1	Poisoning, Self inflicted	134
2	MVT, Unintentional	54
3	Poisoning, Undetermined	34
4	Fall, Unintentional	32
	Poisoning, Unintentional	26
5	Other	107
<b>TOTAL</b>		<b>387</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 HENDERSON		
Rank	Cause	#
1	Fall, Unintentional	908
2	MVT, Unintentional	861
3	Overexertion, Unintentional	398
4	Struck, Unintentional	386
	Unspecified, Unintentional	348
5	Other	1,326
<b>TOTAL</b>		<b>4,227</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 HERTFORD		
Rank	Cause	#
1	MVT, Unintentional	5
2	Poisoning, Unintentional; Firearm, Fall, Unintentional	2
		1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>12</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 HERTFORD		
Rank	Cause	#
1	MVT, Unintentional	23
2	Poisoning, Self inflicted	9
	Unspecified, Unintentional; Struck, Assault; Firearm, Assault	5
3		
4	Poisoning, Unintentional; Other Transport, other, Unintentional; Firearm, Unintentional; Cut/pierce, Unintentional; Cut/pierce, Self inflicted;	3
		2
5	Cut/pierce, Assault	
	Other	3
<b>TOTAL</b>		<b>72</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 HERTFORD		
Rank	Cause	#
1	MVT, Unintentional	396
2	Fall, Unintentional	290
	Struck, Unintentional	215
3		
4	Unspecified, Unintentional	174
	Cut/pierce, Unintentional	168
5	Other	769
<b>TOTAL</b>		<b>2,012</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 HOKE		
Rank	Cause	#
1	MVT, Unintentional	10
2	Firearm, Self inflicted	6
3	Poisoning, Unintentional; Firearm,	4
4	Firearm, Unintentional	2
	Suffocation, Self inflicted; Struck, Unintentional; Poisoning, Self inflicted	1
5	Other	0
<b>TOTAL</b>		<b>29</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 HOKE		
Rank	Cause	#
1	MVT, Unintentional	50
2	Poisoning, Self inflicted	22
3	Other spec/class, Unintentional;	13
4	Unspecified, Unintentional Poisoning, Unintentional	12 10
5	Other	60
<b>TOTAL</b>		<b>180</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 HOKE		
Rank	Cause	#
1	MVT, Unintentional	767
2	Fall, Unintentional	415
3	Overexertion, Unintentional	320
4	Unspecified, Unintentional Struck, Unintentional	292 250
5	Other	899
<b>TOTAL</b>		<b>2,943</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 HYDE		
Rank	Cause	#
1	MVT, Unintentional	2
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>2</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 HYDE		
Rank	Cause	#
1	Transport,other, Unintentional;	3
2	Poisoning, Self inflicted	2
3	Fire/Burn, Unintentional	1
4	Other spec/notclass, Assault; MVT, Unintentional; Fall, Unintentional	
5	Other	0
<b>TOTAL</b>		<b>11</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 HYDE		
Rank	Cause	#
1	Fall, Unintentional	59
2	MVT, Unintentional Unspecified, Unintentional	52 47
3		
4	Struck, Unintentional	38
5	Overexertion, Unintentional Other	34 145
<b>TOTAL</b>		<b>375</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 IREDELL		
Rank	Cause	#
1	Poisoning, Unintentional	29
2	MVT, Unintentional	21
3	Suffocation, Self inflicted	7
4	Firearm, Self inflicted	6
5	Poisoning, Self inflicted	5
	Other	7
<b>TOTAL</b>		<b>75</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 IREDELL		
Rank	Cause	#
1	MVT, Unintentional	101
2	Poisoning, Self inflicted	88
3	Fall, Unintentional	58
4	Poisoning, Unintentional	51
5	Other spec/class, Unintentional	43
	Other	206
<b>TOTAL</b>		<b>547</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 IREDELL		
Rank	Cause	#
1	MVT, Unintentional	2,566
2	Fall, Unintentional	2,329
3	Overexertion, Unintentional	1,874
4	Unspecified, Unintentional	1,534
5	Struck, Unintentional	1,461
	Other	4,636
<b>TOTAL</b>		<b>14,400</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 JACKSON		
Rank	Cause	#
1	Poisoning, Unintentional	8
2	Suffocation, Self inflicted	3
3	Poisoning, Self inflicted; Firearm,	2
4	Struck, Unintentional; MVT,	1
5	Other	0
<b>TOTAL</b>		<b>21</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 JACKSON		
Rank	Cause	#
1	Poisoning, Self inflicted; MVT, Unintentional; Fall, Unintentional	15
2	Poisoning, Unintentional	9
3	Other spec/class, Unintentional	7
4	Unspecified, Unintentional;	3
5	Transport,other, Unintentional;	2
	Other	4
<b>TOTAL</b>		<b>83</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 JACKSON		
Rank	Cause	#
1	Fall, Unintentional	558
2	Overexertion, Unintentional	384
3	MVT, Unintentional	363
4	Unspecified, Unintentional	320
5	Struck, Unintentional	292
	Other	917
<b>TOTAL</b>		<b>2,834</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 JOHNSTON		
Rank	Cause	#
1	MVT, Unintentional	29
2	Poisoning, Unintentional	22
3	Firearm, Assault	7
4	Firearm, Self inflicted	6
5	Suffocation, Self inflicted	4
	Other	21
<b>TOTAL</b>		<b>89</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 JOHNSTON		
Rank	Cause	#
1	MVT, Unintentional	94
2	Poisoning, Self inflicted	92
3	Other spec/class, Unintentional	53
4	Fall, Unintentional	36
5	Cut/pierce, Self inflicted	35
	Other	266
<b>TOTAL</b>		<b>576</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 JOHNSTON		
Rank	Cause	#
1	Unspecified, Unintentional	2,208
2	Fall, Unintentional	2,187
3	MVT, Unintentional	2,182
4	Overexertion, Unintentional	1,442
5	Struck, Unintentional	1,201
	Other	5,155
<b>TOTAL</b>		<b>14,375</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 JONES		
Rank	Cause	#
1	MVT, Unintentional	2
2	Firearm, Self inflicted	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 JONES		
Rank	Cause	#
1	MVT, Unintentional	11
2	Poisoning, Self inflicted	5
3	Fire/Burn, Unintentional	4
	Poisoning, Unintentional; Other	3
4	spec/class, Unintentional	
	Fall, Unintentional; Cut/pierce,	2
5	Unintentional	
	Other	7
<b>TOTAL</b>		<b>37</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 JONES		
Rank	Cause	#
1	MVT, Unintentional	189
2	Fall, Unintentional	170
3	Overexertion, Unintentional	150
	Unspecified, Unintentional	138
4		
	Struck, Unintentional	100
5		
	Other	342
<b>TOTAL</b>		<b>1,089</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 LEE		
Rank	Cause	#
1	MVT, Unintentional	22
2	Poisoning, Unintentional	12
3	Firearm, Assault	11
4	Firearm, Self inflicted Cut/pierce, Assault	6 2
5	Other	2
<b>TOTAL</b>		<b>55</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 LEE		
Rank	Cause	#
1	MVT, Unintentional	85
2	Poisoning, Self inflicted	32
3	Poisoning, Unintentional	24
4	Fall, Unintentional Firearm, Assault; Fire/Burn, Unintentional	22 19
5	Other	89
<b>TOTAL</b>		<b>290</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 LEE		
Rank	Cause	#
1	MVT, Unintentional	685
2	Fall, Unintentional	287
3	Unspecified, Unintentional	236
4	Natural/Environ, Unintentional Overexertion, Unintentional	186 161
5	Other	718
<b>TOTAL</b>		<b>2,273</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 LENOIR		
Rank	Cause	#
1	MVT, Unintentional	14
2	Firearm, Assault	9
3	Poisoning, Unintentional	4
4	Unspecified, Assault; Suffocation,	1
5	Other	0
<b>TOTAL</b>		<b>35</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 LENOIR		
Rank	Cause	#
1	MVT, Unintentional	61
2	Poisoning, Self inflicted	19
3	Fall, Unintentional	15
4	Poisoning, Unintentional; Firearm, Other spec/class, Unintentional;	14 9
5	Fire/Burn, Unintentional Other	66 66
<b>TOTAL</b>		<b>207</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 LENOIR		
Rank	Cause	#
1	MVT, Unintentional	1,316
2	Fall, Unintentional	1,133
3	Overexertion, Unintentional	1,039
4	Unspecified, Unintentional Struck, Unintentional	1,031 734
5	Other	2,414
<b>TOTAL</b>		<b>7,667</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 LINCOLN		
Rank	Cause	#
1	MVT, Unintentional	12
2	Poisoning, Unintentional	10
3	Suffocation, Self inflicted; Firearm,	3
4	Suffocation, Assault; Other land	1
5	Other	0
<b>TOTAL</b>		<b>31</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 LINCOLN		
Rank	Cause	#
1	MVT, Unintentional	63
2	Poisoning, Self inflicted	45
3	Poisoning, Undetermined; Fall,	21
4	Other spec/class, Unintentional	20
5	Poisoning, Unintentional	15
	Other	74
<b>TOTAL</b>		<b>259</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 LINCOLN		
Rank	Cause	#
1	Fall, Unintentional	1,875
2	Overexertion, Unintentional	1,361
3	MVT, Unintentional	1,240
4	Struck, Unintentional	1,084
5	Cut/pierce, Unintentional	663
	Other	2,647
<b>TOTAL</b>		<b>8,870</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 McDOWELL		
Rank	Cause	#
1	MVT, Unintentional	4
2	Suffocation, Self inflicted; Firearm,	2
3	Unspecified, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>13</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 McDOWELL		
Rank	Cause	#
1	MVT, Unintentional	36
2	Poisoning, Self inflicted	21
3	Fall, Unintentional	14
4	Poisoning, Unintentional	12
	Unspecified, Unintentional; Other	11
5	spec/class, Unintentional	
	Other	56
<b>TOTAL</b>		<b>161</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 McDOWELL		
Rank	Cause	#
1	MVT, Unintentional	538
2	Fall, Unintentional	524
3	Overexertion, Unintentional	306
4	Struck, Unintentional	275
	Struck, Assault	202
5	Other	894
<b>TOTAL</b>		<b>2,739</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 MACON		
Rank	Cause	#
1	MVT, Unintentional	5
2	Poisoning, Unintentional	3
3	Firearm, Unintentional; Firearm, Self	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>12</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 MACON		
Rank	Cause	#
1	MVT, Unintentional	21
2	Fall, Unintentional	13
3	Poisoning, Undetermined	8
4	Poisoning, Unintentional	5
5	Other spec/class, Unintentional	4
	Other	23
<b>TOTAL</b>		<b>74</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 MACON		
Rank	Cause	#
1	Fall, Unintentional	410
2	Overexertion, Unintentional	307
3	Cut/pierce, Unintentional	252
4	MVT, Unintentional	251
5	Struck, Unintentional	246
	Other	782
<b>TOTAL</b>		<b>2,248</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 MADISON		
Rank	Cause	#
1	Poisoning, Unintentional	6
2	MVT, Unintentional; Firearm, Self	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>10</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 MADISON		
Rank	Cause	#
1	MVT, Unintentional	12
2	Fall, Unintentional	8
3	Poisoning, Self inflicted Other spec/notclass, Unintentional	7
4		5
5	Unspecified, Unintentional	3
	Other	12
<b>TOTAL</b>		<b>47</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 MADISON		
Rank	Cause	#
1	MVT, Unintentional	112
2	Fall, Unintentional	90
3	Overexertion, Unintentional Unspecified, Unintentional	37
4		36
5	Struck, Unintentional	35
	Other	180
<b>TOTAL</b>		<b>490</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 MARTIN		
Rank	Cause	#
1	Firearm, Assault	3
	MVT, Unintentional	2
2		
3	Transport,other, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>11</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 MARTIN		
Rank	Cause	#
1	MVT, Unintentional	18
	Other spec/class, Unintentional;	7
2	Firearm, Assault	
3	Fall, Unintentional	6
	Struck, Assault; Poisoning, Undetermined; Machinery, Unintentional	4
4		
	Unspecified, Unintentional; Poisoning, Self inflicted;	3
5	Cut/pierce, Assault	
	Other	18
<b>TOTAL</b>		<b>77</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 MARTIN		
Rank	Cause	#
1	MVT, Unintentional	274
	Fall, Unintentional	191
2		
3	Unspecified, Unintentional	163
	Struck, Unintentional	153
4		
	Overexertion, Unintentional	108
5	Other	430
<b>TOTAL</b>		<b>1,319</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 MECKLENBURG		
Rank	Cause	#
1	Firearm, Assault	105
2	MVT, Unintentional	88
3	Poisoning, Unintentional	75
4	Firearm, Self inflicted	43
5	Suffocation, Self inflicted	22
	Other	73
<b>TOTAL</b>		<b>406</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 MECKLENBURG		
Rank	Cause	#
1	MVT, Unintentional	557
2	Poisoning, Self inflicted	410
3	Fall, Unintentional	284
4	Other spec/class, Unintentional	168
5	Poisoning, Unintentional	159
	Other	1,065
<b>TOTAL</b>		<b>2,643</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 MECKLENBURG		
Rank	Cause	#
1	MVT, Unintentional	15,188
2	Fall, Unintentional	8,809
3	Unspecified, Unintentional	6,819
4	Struck, Unintentional	6,121
5	Overexertion, Unintentional	5,355
	Other	21,012
<b>TOTAL</b>		<b>63,304</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 MITCHELL		
Rank	Cause	#
1	Poisoning, Unintentional	3
	MVT, Unintentional	2
2		
3	Suffocation, Self inflicted; Firearm,	1
4		
5	Other	0
<b>TOTAL</b>		<b>7</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 MITCHELL		
Rank	Cause	#
1	MVT, Unintentional	21
	Poisoning, Unintentional;	19
2	Poisoning, Self inflicted	
3	Fall, Unintentional	13
4	Unspecified, Unintentional	8
	Struck, Unintentional; Cut/pierce,	4
5	Self inflicted	
	Other	27
<b>TOTAL</b>		<b>115</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 MITCHELL		
Rank	Cause	#
1	Fall, Unintentional	140
	MVT, Unintentional	123
2		
3	Overexertion, Unintentional	85
4	Struck, Unintentional	57
	Struck, Assault	47
5	Other	245
<b>TOTAL</b>		<b>697</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 MONTGOMERY		
Rank	Cause	#
1	MVT, Unintentional	9
2	Firearm, Assault	5
3	Poisoning, Unintentional	3
4	Firearm, Self inflicted; Cut/pierce,	2
5	Other	0
<b>TOTAL</b>		<b>21</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 MONTGOMERY		
Rank	Cause	#
1	MVT, Unintentional	24
2	Poisoning, Self inflicted	22
3	Fall, Unintentional	8
4	Unspecified, Unintentional	7
	Struck, Assault; Poisoning,	5
	Unintentional; Cut/pierce, Self	
5	inflicted	
	Other	29
<b>TOTAL</b>		<b>105</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 MONTGOMERY		
Rank	Cause	#
1	MVT, Unintentional	313
2	Fall, Unintentional	309
3	Overexertion, Unintentional	297
4	Struck, Unintentional	231
	Unspecified, Unintentional	206
5	Other	823
<b>TOTAL</b>		<b>2,179</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 MOORE		
Rank	Cause	#
1	MVT, Unintentional; Firearm,	13
2	Firearm, Self inflicted	9
3	Poisoning, Unintentional	8
4	Suffocation, Self inflicted	3
	Unspecified, Unintentional;	1
	Transport,other, Unintentional;	
	Suffocation, Assault; Poisoning,	
	Undetermined; Other spec/class,	
5	Unintentional; Fire/Burn, Self inflicted; Drowning, Unintentional	
	Other	0
<b>TOTAL</b>		<b>53</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 MOORE		
Rank	Cause	#
1	MVT, Unintentional	72
2	Poisoning, Self inflicted	66
3	Poisoning, Unintentional	35
4	Fall, Unintentional	20
	Cut/pierce, Self inflicted	19
5	Other	100
<b>TOTAL</b>		<b>312</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 MOORE		
Rank	Cause	#
1	MVT, Unintentional	1,367
2	Fall, Unintentional	939
3	Overexertion, Unintentional	741
4	Struck, Unintentional	614
	Unspecified, Unintentional	536
5	Other	2,085
<b>TOTAL</b>		<b>6,282</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 NASH		
Rank	Cause	#
1	MVT, Unintentional	20
2	Poisoning, Unintentional	11
3	Firearm, Assault	9
4	Firearm, Self inflicted	6
5	Suffocation, Self inflicted	3
	Other	9
<b>TOTAL</b>		<b>58</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 NASH		
Rank	Cause	#
1	MVT, Unintentional	99
2	Poisoning, Self inflicted	92
3	Other spec/class, Unintentional	34
4	Cut/pierce, Self inflicted	29
5	Poisoning, Unintentional	24
	Other	158
<b>TOTAL</b>		<b>436</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 NASH		
Rank	Cause	#
1	MVT, Unintentional	759
2	Fall, Unintentional	362
3	Overexertion, Unintentional	339
4	Unspecified, Unintentional	257
5	Struck, Unintentional	209
	Other	1,043
<b>TOTAL</b>		<b>2,969</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 NEW HANOVER		
Rank	Cause	#
1	Poisoning, Unintentional	41
2	MVT, Unintentional	18
3	Suffocation, Self inflicted; Firearm,	11
4	Firearm, Assault	10
5	Unspecified, Assault	2
	Other	12
<b>TOTAL</b>		<b>105</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 NEW HANOVER		
Rank	Cause	#
1	Poisoning, Self inflicted	170
2	MVT, Unintentional	155
3	Poisoning, Unintentional	101
4	Fall, Unintentional	85
5	Cut/pierce, Self inflicted	42
	Other	327
<b>TOTAL</b>		<b>880</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 NEW HANOVER		
Rank	Cause	#
1	MVT, Unintentional	2,252
2	Fall, Unintentional	1,889
3	Struck, Unintentional	1,095
4	Unspecified, Unintentional	1,063
5	Overexertion, Unintentional	1,029
	Other	3,978
<b>TOTAL</b>		<b>11,306</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 NORTHAMPTON		
Rank	Cause	#
1	MVT, Unintentional; Firearm, Self	4
2	Poisoning, Unintentional; Drowning,	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>10</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 NORTHAMPTON		
Rank	Cause	#
1	MVT, Unintentional	20
2	Poisoning, Self inflicted	13
3	Fall, Unintentional	5
4	Cut/pierce, Unintentional	4
5	Unspecified, Unintentional	3
	Other	18
<b>TOTAL</b>		<b>63</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 NORTHAMPTON		
Rank	Cause	#
1	MVT, Unintentional	385
2	Fall, Unintentional	277
3	Unspecified, Unintentional	247
4	Struck, Unintentional	180
5	Struck, Assault	176
	Other	855
<b>TOTAL</b>		<b>2,120</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 ONslow		
Rank	Cause	#
1	Firearm, Self inflicted	35
2	MVT, Unintentional	34
3	Poisoning, Unintentional	29
4	Suffocation, Self inflicted	13
5	Firearm, Assault	11
	Other	21
<b>TOTAL</b>		<b>143</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 ONslow		
Rank	Cause	#
1	MVT, Unintentional	183
2	Poisoning, Self inflicted	61
3	Fall, Unintentional	53
4	Fire/Burn, Unintentional	43
5	Other spec/class, Unintentional	31
	Other	231
<b>TOTAL</b>		<b>602</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 ONslow		
Rank	Cause	#
1	Fall, Unintentional	2,998
2	MVT, Unintentional	2,761
3	Unspecified, Unintentional	2,000
4	Struck, Unintentional	1,908
5	Overexertion, Unintentional	1,715
	Other	5,719
<b>TOTAL</b>		<b>17,101</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 ORANGE		
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	11
2	Poisoning, Self inflicted	6
3	Suffocation, Self inflicted; Firearm,	5
4	Firearm, Assault	3
	Other spec/NEC, Unintentional;	1
	Other spec/NEC, Self inflicted;	
	Other land transport, Unintentional;	
	Natural/Environ, Unintentional; Fall,	
5	Unintentional	
	Other	0
<b>TOTAL</b>		<b>46</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 ORANGE		
Rank	Cause	#
1	Poisoning, Self inflicted	82
2	MVT, Unintentional	80
3	Fall, Unintentional	60
4	Cut/pierce, Self inflicted	46
	Fire/Burn, Unintentional	37
5		
	Other	182
<b>TOTAL</b>		<b>487</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 ORANGE		
Rank	Cause	#
1	MVT, Unintentional	750
2	Fall, Unintentional	747
3	Struck, Unintentional	473
4	Cut/pierce, Unintentional	441
	Unspecified, Unintentional	421
5		
	Other	1,823
<b>TOTAL</b>		<b>4,655</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 PAMLICO		
Rank	Cause	#
1	Poisoning, Unintentional	2
2	Drowning, Unintentional	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>3</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 PAMLICO		
Rank	Cause	#
1	MVT, Unintentional	13
2	Poisoning, Self inflicted Unspecified, Unintentional; Fire/Burn, Unintentional; Fall, Unintentional	10 3
3	Poisoning, Unintentional; Firearm, Assault; Drowning, Unintentional	2
4	Struck, Unintentional; Struck, Assault; Other spec/hotclass, Unintentional; Other spec/class, Unintentional	1
5	Other	0
<b>TOTAL</b>		<b>42</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 PAMLICO		
Rank	Cause	#
1	MVT, Unintentional	109
2	Fall, Unintentional Overexertion, Unintentional	108 87
3	Struck, Unintentional	81
4	Unspecified, Unintentional	67
5	Other	245
<b>TOTAL</b>		<b>697</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 PASQUOTANK		
Rank	Cause	#
1	MVT, Unintentional	8
2	Firearm, Assault	4
3	Poisoning, Unintentional; Firearm,	2
4	Suffocation, Self inflicted; Other land	1
5	Other	0
<b>TOTAL</b>		<b>20</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 PASQUOTANK		
Rank	Cause	#
1	Poisoning, Self inflicted	21
2	Fall, Unintentional	7
3	Poisoning, Unintentional	6
4	Natural/Environ, Unintentional Unspecified, Unintentional; MVT, Unintentional; Cut/pierce, Self inflicted	4 3
5	Other	13
<b>TOTAL</b>		<b>60</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 PASQUOTANK		
Rank	Cause	#
1	MVT, Unintentional	338
2	Unspecified, Unintentional	119
3	Fall, Unintentional	109
4	Struck, Unintentional Natural/Environ, Unintentional	79 54
5	Other	245
<b>TOTAL</b>		<b>944</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 PENDER		
Rank	Cause	#
1	MVT, Unintentional	11
2	Poisoning, Unintentional	10
3	Firearm, Self inflicted	3
4	Suffocation, Self inflicted; Firearm, Unspecified, Unintentional;	2
	Poisoning, Undetermined;	1
	Machinery, Unintentional; Firearm,	
5	Assault; Drowning, Unintentional Other	0
<b>TOTAL</b>		<b>33</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 PENDER		
Rank	Cause	#
1	MVT, Unintentional	41
2	Poisoning, Self inflicted	39
3	Poisoning, Unintentional	23
4	Other spec/class, Unintentional Cut/pierce, Self inflicted	13
		12
5	Other	66
<b>TOTAL</b>		<b>194</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 PENDER		
Rank	Cause	#
1	MVT, Unintentional	619
2	Fall, Unintentional	449
3	Unspecified, Unintentional	307
4	Struck, Unintentional Overexertion, Unintentional	229
		227
5	Other	884
<b>TOTAL</b>		<b>2,715</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 PERQUIMANS		
Rank	Cause	#
1	MVT, Unintentional; Firearm,	2
2	Poisoning, Unintentional; Firearm,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>7</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 PERQUIMANS		
Rank	Cause	#
1	Poisoning, Self inflicted	8
2	MVT, Unintentional	7
3	Other spec/class, Unintentional	5
4	Unspecified, Unintentional Poisoning, Unintentional; Other spec/notclass, Unintentional; Fall, Unintentional	3
		2
5	Other	7
<b>TOTAL</b>		<b>36</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 PERQUIMANS		
Rank	Cause	#
1	MVT, Unintentional	88
2	Unspecified, Unintentional	58
3	Struck, Unintentional	55
4	Fall, Unintentional Overexertion, Unintentional	54
		43
5	Other	153
<b>TOTAL</b>		<b>451</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 PERSON		
Rank	Cause	#
1	MVT, Unintentional	10
2	Poisoning, Unintentional; Firearm,	4
3	Drowning, Unintentional	2
4	Unspecified, Assault; Suffocation,	1
5	Other	0
<b>TOTAL</b>		<b>23</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 PERSON		
Rank	Cause	#
1	MVT, Unintentional	42
2	Poisoning, Self inflicted	22
3	Other spec/class, Unintentional	16
4	Fall, Unintentional	11
5	Fire/Burn, Unintentional	10
	Other	50
<b>TOTAL</b>		<b>151</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 PERSON		
Rank	Cause	#
1	MVT, Unintentional	796
2	Fall, Unintentional	638
3	Overexertion, Unintentional	476
4	Struck, Unintentional	377
5	Unspecified, Unintentional	283
	Other	1,325
<b>TOTAL</b>		<b>3,895</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 PITT		
Rank	Cause	#
1	MVT, Unintentional	29
2	Firearm, Assault	17
3	Poisoning, Unintentional	12
4	Firearm, Self inflicted	7
5	Suffocation, Self inflicted	5
	Other	15
<b>TOTAL</b>		<b>85</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 PITT		
Rank	Cause	#
1	Poisoning, Self inflicted	137
2	MVT, Unintentional	114
3	Poisoning, Unintentional	57
4	Fall, Unintentional	52
5	Firearm, Assault	37
	Other	264
<b>TOTAL</b>		<b>661</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 PITT		
Rank	Cause	#
1	MVT, Unintentional	2,823
2	Fall, Unintentional	1,812
3	Struck, Unintentional	1,349
4	Overexertion, Unintentional	1,307
5	Cut/pierce, Unintentional	998
	Other	4,669
<b>TOTAL</b>		<b>12,958</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 POLK		
Rank	Cause	#
1	Poisoning, Unintentional	5
	MVT, Unintentional	3
2		
3	Suffocation, Self inflicted; Firearm,	1
4		
5	Other	0
<b>TOTAL</b>		<b>10</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 POLK		
Rank	Cause	#
1	Poisoning, Self inflicted	7
	Other spec/class, Unintentional;	5
2	MVT, Unintentional	
3	Struck, Assault; Poisoning, Unspecified, Unintentional;	3
	Struck, Unintentional; Other spec/hotclass, Unintentional	2
4	Overexertion, Unintentional;	1
	Machinery, Unintentional;	
5	Cut/pierce, Self inflicted	
	Other	0
<b>TOTAL</b>		<b>32</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 POLK		
Rank	Cause	#
1	Fall, Unintentional	189
	MVT, Unintentional	160
2		
3	Overexertion, Unintentional	102
	Struck, Unintentional	96
4		
	Unspecified, Unintentional	59
5		
	Other	329
<b>TOTAL</b>		<b>935</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 RANDOLPH		
Rank	Cause	#
1	Poisoning, Unintentional	27
2	MVT, Unintentional	20
3	Firearm, Self inflicted	10
4	Suffocation, Self inflicted	7
5	Firearm, Assault	6
	Other	17
<b>TOTAL</b>		<b>87</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 RANDOLPH		
Rank	Cause	#
1	Poisoning, Self inflicted	94
2	MVT, Unintentional	89
3	Fall, Unintentional	40
4	Poisoning, Unintentional	39
5	Other spec/class, Unintentional	23
	Other	168
<b>TOTAL</b>		<b>453</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 RANDOLPH		
Rank	Cause	#
1	Fall, Unintentional	2,286
2	MVT, Unintentional	1,945
3	Unspecified, Unintentional	1,186
4	Overexertion, Unintentional	1,181
5	Struck, Unintentional	1,116
	Other	4,154
<b>TOTAL</b>		<b>11,868</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 RICHMOND		
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	9
2	Firearm, Self inflicted	6
3	Firearm, Assault	5
4	Suffocation, Self inflicted; Poisoning,	1
5	Other	0
<b>TOTAL</b>		<b>33</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 RICHMOND		
Rank	Cause	#
1	MVT, Unintentional	60
2	Poisoning, Self inflicted	40
3	Poisoning, Undetermined	18
4	Fall, Unintentional	15
5	Poisoning, Unintentional	13
	Other	104
<b>TOTAL</b>		<b>250</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 RICHMOND		
Rank	Cause	#
1	MVT, Unintentional	1,050
2	Unspecified, Unintentional	921
3	Fall, Unintentional	772
4	Overexertion, Unintentional	540
5	Struck, Unintentional	463
	Other	1,859
<b>TOTAL</b>		<b>5,605</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 ROBESON		
Rank	Cause	#
1	MVT, Unintentional	52
2	Firearm, Assault	48
3	Poisoning, Unintentional	21
4	Firearm, Self inflicted	7
5	Suffocation, Self inflicted	6
	Other	15
<b>TOTAL</b>		<b>149</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 ROBESON		
Rank	Cause	#
1	Unspecified, Unintentional	268
2	MVT, Unintentional	183
3	Poisoning, Self inflicted	140
4	Poisoning, Unintentional	101
5	Fall, Unintentional	53
	Other	382
<b>TOTAL</b>		<b>1,127</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 ROBESON		
Rank	Cause	#
1	MVT, Unintentional	3,173
2	Fall, Unintentional	2,061
3	Overexertion, Unintentional	1,678
4	Unspecified, Unintentional	1,424
5	Struck, Unintentional	1,387
	Other	6,134
<b>TOTAL</b>		<b>15,857</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 ROCKINGHAM		
Rank	Cause	#
1	MVT, Unintentional	20
2	Poisoning, Unintentional	13
3	Firearm, Assault	7
4	Firearm, Self inflicted	4
	Suffocation, Self inflicted; Suffocation, Assault; Poisoning, Undetermined; Poisoning, Self inflicted; Other spec/class, Unintentional; Machinery, Unintentional; Fall, Unintentional;	1
5	Cut/pierce, Assault	
	Other	0
<b>TOTAL</b>		<b>52</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 ROCKINGHAM		
Rank	Cause	#
1	Poisoning, Self inflicted	97
2	MVT, Unintentional	68
3	Poisoning, Unintentional	51
4	Fall, Unintentional	23
	Other spec/class, Unintentional	18
5	Other	159
<b>TOTAL</b>		<b>416</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 ROCKINGHAM		
Rank	Cause	#
1	Fall, Unintentional	1,274
2	MVT, Unintentional	984
3	Struck, Unintentional	731
4	Overexertion, Unintentional	652
	Unspecified, Unintentional	636
5	Other	2,666
<b>TOTAL</b>		<b>6,943</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 ROWAN		
Rank	Cause	#
1	MVT, Unintentional	29
2	Poisoning, Unintentional	25
3	Firearm, Assault	15
4	Suffocation, Self inflicted; Firearm, Unspecified, Undetermined;	7
		2
5	Drowning, Unintentional	
	Other	4
<b>TOTAL</b>		<b>91</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 ROWAN		
Rank	Cause	#
1	MVT, Unintentional	112
2	Poisoning, Self inflicted	84
3	Poisoning, Unintentional	48
4	Unspecified, Unintentional	32
	Fall, Unintentional	31
5	Other	217
<b>TOTAL</b>		<b>524</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 ROWAN		
Rank	Cause	#
1	MVT, Unintentional	2,558
2	Fall, Unintentional	2,367
3	Overexertion, Unintentional	1,881
4	Unspecified, Unintentional	1,723
	Struck, Unintentional	1,561
5	Other	4,706
<b>TOTAL</b>		<b>14,796</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 RUTHERFORD		
Rank	Cause	#
1	MVT, Unintentional	6
2	Firearm, Self inflicted	5
3	Poisoning, Unintentional	4
4	Firearm, Assault	3
	Suffocation, Self inflicted; Other land	2
5	transport, Unintentional	
	Other	6
<b>TOTAL</b>		<b>28</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 RUTHERFORD		
Rank	Cause	#
1	Poisoning, Self inflicted	59
2	MVT, Unintentional	36
3	Fall, Unintentional	20
4	Poisoning, Unintentional	16
	Other spec/class, Unintentional	15
5		
	Other	72
<b>TOTAL</b>		<b>218</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 RUTHERFORD		
Rank	Cause	#
1	Fall, Unintentional	1,250
2	MVT, Unintentional	975
3	Overexertion, Unintentional	795
4	Unspecified, Unintentional	748
	Struck, Unintentional	657
5		
	Other	2,004
<b>TOTAL</b>		<b>6,429</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 SAMPSON		
Rank	Cause	#
1	MVT, Unintentional	13
2	Firearm, Assault	10
3	Poisoning, Unintentional	9
4	Suffocation, Self inflicted	2
	Unspecified, Unintentional;	1
	Suffocation, Unintentional; Firearm,	
	Self inflicted; Fall, Unintentional;	
	Fall, Self inflicted; Drowning,	
5	Unintentional	
	Other	0
<b>TOTAL</b>		<b>40</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 SAMPSON		
Rank	Cause	#
1	MVT, Unintentional	62
2	Poisoning, Self inflicted	30
3	Other spec/class, Unintentional	15
4	Fall, Unintentional	13
	Struck, Assault	10
5		
	Other	104
<b>TOTAL</b>		<b>234</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 SAMPSON		
Rank	Cause	#
1	MVT, Unintentional	1,216
2	Unspecified, Unintentional	1,017
3	Fall, Unintentional	882
4	Overexertion, Unintentional	715
	Struck, Unintentional	671
5		
	Other	2,168
<b>TOTAL</b>		<b>6,669</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 SCOTLAND		
Rank	Cause	#
1	Firearm, Assault	10
2	MVT, Unintentional	9
3	Poisoning, Unintentional	3
4	Suffocation, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>27</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 SCOTLAND		
Rank	Cause	#
1	MVT, Unintentional	32
2	Poisoning, Self inflicted	22
3	Other spec/class, Unintentional	20
4	Firearm, Assault	16
5	Poisoning, Unintentional	15
	Other	111
<b>TOTAL</b>		<b>216</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 SCOTLAND		
Rank	Cause	#
1	MVT, Unintentional	929
2	Fall, Unintentional	723
3	Overexertion, Unintentional	679
4	Struck, Unintentional	480
5	Unspecified, Unintentional	463
	Other	1,879
<b>TOTAL</b>		<b>5,153</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 STANLY		
Rank	Cause	#
1	Poisoning, Unintentional	17
2	Firearm, Self inflicted	11
3	MVT, Unintentional	10
4	Suffocation, Self inflicted	3
	Other land transport, Unintentional;	1
	Firearm, Assault; Drowning,	
5	Unintentional	
	Other	0
<b>TOTAL</b>		<b>44</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 STANLY		
Rank	Cause	#
1	MVT, Unintentional	45
2	Poisoning, Self inflicted	26
3	Fall, Unintentional	16
4	Poisoning, Undetermined	14
	Transport,other, Unintentional	13
5	Other	85
<b>TOTAL</b>		<b>199</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 STANLY		
Rank	Cause	#
1	Fall, Unintentional	543
2	MVT, Unintentional	522
3	Unspecified, Unintentional	424
4	Struck, Unintentional	308
	Overexertion, Unintentional	279
5	Other	1,168
<b>TOTAL</b>		<b>3,244</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 STOKES		
Rank	Cause	#
1	MVT, Unintentional	7
2	Poisoning, Unintentional	6
3	Firearm, Self inflicted; Drowning,	3
4	Other spec/class, Unintentional	2
	Suffocation, Unintentional;	1
	Suffocation, Self inflicted; Poisoning,	
	Self inflicted; Firearm, Assault	
5	Other	0
<b>TOTAL</b>		<b>25</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 STOKES		
Rank	Cause	#
1	MVT, Unintentional	53
2	Poisoning, Self inflicted	27
3	Poisoning, Unintentional; Fall,	14
4	Transport,other, Unintentional	11
	Poisoning, Undetermined;	9
	Cut/pierce, Self inflicted	
5	Other	42
<b>TOTAL</b>		<b>179</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 STOKES		
Rank	Cause	#
1	Fall, Unintentional	742
2	MVT, Unintentional	574
3	Struck, Unintentional	416
4	Overexertion, Unintentional	395
	Unspecified, Unintentional	356
5	Other	1,289
<b>TOTAL</b>		<b>3,772</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 SURRY		
Rank	Cause	#
1	Poisoning, Unintentional	18
2	MVT, Unintentional	14
3	Firearm, Self inflicted	3
4	Poisoning, Self inflicted; Fall,	2
	Other spec/class, Unintentional;	1
	Other spec/class, Self inflicted;	
	Other land transport, Unintentional;	
5	Firearm, Assault	0
	Other	0
<b>TOTAL</b>		<b>43</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 SURRY		
Rank	Cause	#
1	MVT, Unintentional	80
2	Poisoning, Self inflicted	76
3	Poisoning, Unintentional	43
4	Fall, Unintentional	21
	Poisoning, Undetermined; Other	18
	spec/class, Unintentional	
5	Other	91
<b>TOTAL</b>		<b>347</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 SURRY		
Rank	Cause	#
1	Fall, Unintentional	1,303
2	MVT, Unintentional	1,098
3	Overexertion, Unintentional	864
4	Struck, Unintentional	751
	Unspecified, Unintentional	676
5	Other	2,637
<b>TOTAL</b>		<b>7,329</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 SWAIN		
Rank	Cause	#
1	Poisoning, Unintentional	5
2	MVT, Unintentional	2
3	Unspecified, Assault; Suffocation,	1
4		
5	Other	0
<b>TOTAL</b>		<b>11</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 SWAIN		
Rank	Cause	#
1	Poisoning, Unintentional; Fall, Unintentional	15
2	MVT, Unintentional	13
3	Poisoning, Self inflicted	7
4	Struck, Assault; Natural/Environ, Unintentional	6
5	Unspecified, Unintentional; Other spec/class, Unintentional	5
	Other	19
<b>TOTAL</b>		<b>91</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 SWAIN		
Rank	Cause	#
1	Fall, Unintentional	439
2	Overexertion, Unintentional	411
3	Unspecified, Unintentional	254
4	Struck, Unintentional	245
5	MVT, Unintentional	213
	Other	609
<b>TOTAL</b>		<b>2,171</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 TRANSYLVANIA		
Rank	Cause	#
1	Poisoning, Unintentional	8
2	Firearm, Self inflicted	3
3	MVT, Unintentional	2
4	Poisoning, Self inflicted;	1
5	Other	0
<b>TOTAL</b>		<b>18</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 TRANSYLVANIA		
Rank	Cause	#
1	Poisoning, Self inflicted	23
2	MVT, Unintentional	20
3	Poisoning, Undetermined	12
4	Poisoning, Unintentional	5
	Unspecified, Unintentional; Other spec/notclass, Unintentional; Natural/Environ, Unintentional	4
5	Other	25
<b>TOTAL</b>		<b>97</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	492
2	MVT, Unintentional	379
3	Overexertion, Unintentional	370
4	Struck, Unintentional	353
	Unspecified, Unintentional	313
5	Other	963
<b>TOTAL</b>		<b>2,870</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 TYRRELL		
Rank	Cause	#
1	MVT, Unintentional	3
2	Poisoning, Self inflicted; Firearm,	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>5</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 TYRRELL		
Rank	Cause	#
1	MVT, Unintentional	4
2	Other spec/class, Unintentional Struck, Assault; Other spec/notclass, Unintentional; Fire/Burn, Unintentional; Fall, Unintentional; Cut/pierce, Assault	2 1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>11</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 TYRRELL		
Rank	Cause	#
1	MVT, Unintentional	31
2	Overexertion, Unintentional Fall, Unintentional	30 29
3		
4	Unspecified, Unintentional	26
5	Struck, Unintentional	25
	Other	87
<b>TOTAL</b>		<b>228</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 UNION		
Rank	Cause	#
1	MVT, Unintentional	21
2	Poisoning, Unintentional	15
3	Firearm, Self inflicted	9
4	Suffocation, Self inflicted	7
5	Firearm, Assault	5
	Other	6
<b>TOTAL</b>		<b>63</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 UNION		
Rank	Cause	#
1	MVT, Unintentional	116
2	Poisoning, Self inflicted	68
3	Fall, Unintentional	50
4	Poisoning, Unintentional	41
5	Other spec/class, Unintentional	35
	Other	156
<b>TOTAL</b>		<b>466</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 UNION		
Rank	Cause	#
1	MVT, Unintentional	2,363
2	Fall, Unintentional	1,610
3	Overexertion, Unintentional	1,467
4	Struck, Unintentional	1,027
5	Cut/pierce, Unintentional	1,009
	Other	3,698
<b>TOTAL</b>		<b>11,174</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 VANCE		
Rank	Cause	#
1	Firearm, Assault	15
2	MVT, Unintentional	12
3	Poisoning, Unintentional; Firearm,	8
4	Unspecified, Assault	2
	Suffocation, Self inflicted; Other land	1
5	Unintentional	
	Other	0
<b>TOTAL</b>		<b>48</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 VANCE		
Rank	Cause	#
1	MVT, Unintentional	63
2	Fall, Unintentional	29
3	Poisoning, Self inflicted;	15
4	Other spec/class, Unintentional	14
	Struck, Assault; Firearm, Assault	13
5		
	Other	70
<b>TOTAL</b>		<b>232</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 VANCE		
Rank	Cause	#
1	MVT, Unintentional	1,013
2	Fall, Unintentional	719
3	Overexertion, Unintentional	664
4	Unspecified, Unintentional	492
	Struck, Unintentional	419
5		
	Other	1,746
<b>TOTAL</b>		<b>5,053</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 WAKE		
Rank	Cause	#
1	MVT, Unintentional	100
2	Poisoning, Unintentional	63
3	Firearm, Self inflicted	35
4	Firearm, Assault	34
5	Suffocation, Self inflicted	27
	Other	63
<b>TOTAL</b>		<b>322</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 WAKE		
Rank	Cause	#
1	MVT, Unintentional	455
2	Poisoning, Self inflicted	345
3	Fall, Unintentional	244
4	Other spec/class, Unintentional	230
5	Poisoning, Unintentional	168
	Other	1,040
<b>TOTAL</b>		<b>2,482</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 WAKE		
Rank	Cause	#
1	MVT, Unintentional	10,164
2	Fall, Unintentional	6,036
3	Struck, Unintentional	4,270
4	Overexertion, Unintentional	3,797
5	Cut/pierce, Unintentional	3,162
	Other	14,552
<b>TOTAL</b>		<b>41,981</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 WARREN		
Rank	Cause	#
1	MVT, Unintentional	7
2	Firearm, Unintentional; Cut/pierce,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>9</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 WARREN		
Rank	Cause	#
1	MVT, Unintentional	16
2	Poisoning, Self inflicted	7
	Other spec/class, Unintentional;	4
3	Firearm, Assault	
	Fall, Unintentional; Cut/pierce,	3
4	Assault	
	Unspecified, Unintentional;	2
	Transport,other, Unintentional;	
	Other spec/notclass,	
	Unintentional; Other	
	spec/notclass, Undetermined;	
	Natural/Environ, Unintentional;	
5	Firearm, Unintentional	
	Other	3
<b>TOTAL</b>		<b>52</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 WARREN		
Rank	Cause	#
1	MVT, Unintentional	285
2	Overexertion, Unintentional	208
	Fall, Unintentional	181
3		
	Unspecified, Unintentional	136
4		
	Struck, Unintentional	125
5		
	Other	483
<b>TOTAL</b>		<b>1,418</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death		
WASHINGTON		
Rank	Cause	#
1		0
2		0
3		0
4		0
5	Other	0
<b>TOTAL</b>		<b>0</b>

Leading Causes of Injury Hospitalization**		
Ages 19-34: 2010 to 2013		
WASHINGTON		
Rank	Cause	#
1	MVT, Unintentional	8
2	Poisoning, Self inflicted; Firearm, Assault	3
3	Cut/pierce, Assault	2
4	Unspecified, Unintentional; Struck, Unintentional; Poisoning, Unintentional; Other spec/shotclass, Unintentional; Other spec/class, Unintentional; Fire/Burn, Unintentional; Fall, Unintentional	1
5	Other	0
<b>TOTAL</b>		<b>23</b>

Leading Causes of Injury ED Visits**		
Ages 19-34: 2010 to 2013		
WASHINGTON		
Rank	Cause	#
1	MVT, Unintentional	129
2	Fall, Unintentional	122
3	Overexertion, Unintentional	69
4	Struck, Unintentional	64
5	Unspecified, Unintentional	58
	Other	204
<b>TOTAL</b>		<b>646</b>

Leading Causes of Injury Death		
Ages 19-34: 2010 to 2013		
WATAUGA		
Rank	Cause	#
1	MVT, Unintentional	4
2	Poisoning, Unintentional; Firearm,	3
3	Fire/Burn, Unintentional; Drowning,	1
4		
5	Other	0
<b>TOTAL</b>		<b>12</b>

Leading Causes of Injury Hospitalization**		
Ages 19-34: 2010 to 2013		
WATAUGA		
Rank	Cause	#
1	MVT, Unintentional	18
2	Poisoning, Self inflicted	16
3	Fall, Unintentional	11
4	Poisoning, Unintentional	9
5	Cut/pierce, Unintentional	6
	Other	41
<b>TOTAL</b>		<b>101</b>

Leading Causes of Injury ED Visits**		
Ages 19-34: 2010 to 2013		
WATAUGA		
Rank	Cause	#
1	Fall, Unintentional	587
2	Struck, Unintentional	370
3	MVT, Unintentional	352
4	Overexertion, Unintentional;	325
5	Other spec/class, Unintentional	139
	Other	751
<b>TOTAL</b>		<b>2,849</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 WAYNE		
Rank	Cause	#
1	MVT, Unintentional	22
2	Firearm, Assault	14
3	Firearm, Self inflicted	9
4	Poisoning, Unintentional	8
5	Drowning, Unintentional	4
	Other	11
<b>TOTAL</b>		<b>68</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 WAYNE		
Rank	Cause	#
1	MVT, Unintentional	124
2	Poisoning, Self inflicted	100
3	Other spec/class, Unintentional	42
4	Fall, Unintentional	38
5	Unspecified, Unintentional	35
	Other	234
<b>TOTAL</b>		<b>573</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 WAYNE		
Rank	Cause	#
1	MVT, Unintentional	2,534
2	Unspecified, Unintentional	2,020
3	Fall, Unintentional	1,714
4	Overexertion, Unintentional	1,356
5	Struck, Unintentional	1,281
	Other	5,359
<b>TOTAL</b>		<b>14,264</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 WILKES		
Rank	Cause	#
1	Poisoning, Unintentional	14
2	MVT, Unintentional	10
3	Suffocation, Self inflicted	3
4	Unspecified, Unintentional; Firearm, Struck, Unintentional; Struck, Assault; Poisoning, Self inflicted; Natural/Environ, Unintentional; Firearm, Self inflicted; Drowning, Unintentional	2
5	Other	1
	Other	0
<b>TOTAL</b>		<b>39</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 WILKES		
Rank	Cause	#
1	MVT, Unintentional	60
2	Poisoning, Self inflicted	39
3	Poisoning, Undetermined	25
4	Fall, Unintentional	16
	Poisoning, Unintentional	14
5	Other	84
<b>TOTAL</b>		<b>238</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 WILKES		
Rank	Cause	#
1	MVT, Unintentional	240
2	Fall, Unintentional	231
3	Unspecified, Unintentional	100
4	Struck, Unintentional	93
	Overexertion, Unintentional	86
5	Other	386
<b>TOTAL</b>		<b>1,136</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 WILSON		
Rank	Cause	#
1	MVT, Unintentional	18
2	Firearm, Assault	11
	Firearm, Self inflicted	5
3		
4	Poisoning, Unintentional	3
	Unspecified, Assault; Suffocation, Self inflicted; Poisoning, Self inflicted; Fire/Burn, Unintentional	1
5	Other	0
<b>TOTAL</b>		<b>41</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 WILSON		
Rank	Cause	#
1	MVT, Unintentional	76
2	Poisoning, Self inflicted	34
	Poisoning, Unintentional; Fall, Unintentional	15
3		
4	Fire/Burn, Unintentional	14
	Other spec/class, Unintentional	13
5		
	Other	97
<b>TOTAL</b>		<b>264</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 WILSON		
Rank	Cause	#
1	MVT, Unintentional	1,679
2	Overexertion, Unintentional	1,327
	Fall, Unintentional	945
3		
4	Unspecified, Unintentional	903
	Struck, Unintentional	645
5		
	Other	2,722
<b>TOTAL</b>		<b>8,221</b>

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 YADKIN		
Rank	Cause	#
1	Poisoning, Unintentional	12
2	MVT, Unintentional	4
3	Firearm, Self inflicted	3
4	Suffocation, Unintentional;	1
5		
	Other	0
<b>TOTAL</b>		<b>23</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 YADKIN		
Rank	Cause	#
1	MVT, Unintentional	37
2	Poisoning, Self inflicted	22
3	Fall, Unintentional	15
4	Poisoning, Unintentional	12
5	Poisoning, Undetermined	7
	Other	40
<b>TOTAL</b>		<b>133</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 YADKIN		
Rank	Cause	#
1	Fall, Unintentional	399
2	MVT, Unintentional	301
3	Overexertion, Unintentional	288
4	Struck, Unintentional	198
5	Unspecified, Unintentional	151
	Other	708
<b>TOTAL</b>		<b>2,045</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.

Age 19-34: Leading Causes of Injury Death, Hospitalization, and Emergency Department Visit by County, 2010-2013

Leading Causes of Injury Death Ages 19-34: 2010 to 2013 YANCEY		
Rank	Cause	#
1	Poisoning, Unintentional	3
2	MVT, Unintentional	2
3	Unspecified, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>10</b>

Leading Causes of Injury Hospitalization** Ages 19-34: 2010 to 2013 YANCEY		
Rank	Cause	#
1	MVT, Unintentional	10
2	Poisoning, Self inflicted	7
3	Fall, Unintentional	5
4	Poisoning, Unintentional	4
	Transport,other, Unintentional;	2
	Struck, Assault; Poisoning, Undetermined; Other	
5	spec/notclass, Unintentional	
	Other	8
<b>TOTAL</b>		<b>42</b>

Leading Causes of Injury ED Visits** Ages 19-34: 2010 to 2013 YANCEY		
Rank	Cause	#
1	MVT, Unintentional	111
2	Fall, Unintentional	106
3	Struck, Unintentional	39
4	Struck, Assault; Overexertion, Other spec/class, Unintentional	33
		23
5	Other	142
<b>TOTAL</b>		<b>487</b>

\* NC Residents based on county and state  
 \*\*Excluding adverse effects within  
 healthcare settings and missing Ecodes.