Leading Causes of Injury Death All Ages: 2007 to 2009 ALAMANCE		
Rank	Cause	#
1	Fall, Unintentional	62
2	MVT, Unintentional	56
3	Poisoning, Unintentional	53
4	Firearm, Self inflicted	27
5	Unspecified, Unintentional	20
	Other	77
TOTAL	•	295

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 ALAMANCE		
Rank	Cause	#
1	Fall, Unintentional	1,489
2	MVT, Unintentional	397
3	Poisoning, Self inflicted	317
4	Unspecified, Unintentional	230
5	Poisoning, Unintentional	223
	Other	809
TOTAL		3,465

	Leading Causes of Injury ED Vi All Ages: 2007 to 2009 ALAMANCE	sits**
Rank	Cause	#
4	Fall Unintentional	0.500
1	Fall, Unintentional	8,530
2	MVT, Unintentional	4,083
3	Unspecified, Unintentional	3,442
4	Struck, Unintentional	2,931
5	Overexertion, Unintentional	2,758
	Other	9,087
OTAL		30,831

	Leading Causes of Injury Death All Ages: 2007 to 2009 ALEXANDER	
Rank	Cause	#
1	Poisoning, Unintentional	25
2	MVT, Unintentional	19
3	Firearm, Self inflicted	14
4	Firearm, Assault	7
5	Fall, Unintentional	6
	Other	27
TOTAL		98

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 ALEXANDER		
Rank	Cause	#
1	Fall, Unintentional	321
2	MVT, Unintentional	133
3	Poisoning, Self inflicted	87
4	Poisoning, Unintentional	58
5	Unspecified, Unintentional	57
	Other	287
TOTAL		943

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 ALEXANDER		
Rank	Cause	#
1	Fall, Unintentional	2,989
2	MVT, Unintentional	1,333
3	Struck, Unintentional	1,203
4	Overexertion, Unintentional	1,103
5	Unspecified, Unintentional	691
	Other	3,032
TOTAL		10,351

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 ALLEGHANY	
Rank	Cause	#
1	MVT Unintentional	0
1	MVT, Unintentional	9
2	Firearm, Self inflicted	5
3	Unspecified, Unintentional;	3
4	Firearm, Assault	2
	Suffocation, Unintentional; Pedal	1
	cyclist,other, Unintentional; Other	
	spec/NEC, Unintentional; Other land	
	transport, Unintentional; Fire/Burn,	
5	Unintentional	
5		0
	Other	U
TOTAL		33

All Ages: 2007 to 2009  ALLEGHANY		
Rank	Cause	#
1 2 3 4	Fall, Unintentional MVT, Unintentional Unspecified, Unintentional Struck, Unintentional Transport,other, Unintentional; Poisoning, Self inflicted; Fire/Burn, Unintentional	122 41 22 11 10
5 <b>TOTAL</b>	Other .	49 <b>275</b>

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 ALLEGHANY	
Rank	Cause	#
1 2 3 4	Fall, Unintentional Struck, Unintentional Overexertion, Unintentional Unspecified, Unintentional MVT, Unintentional	2,045 833 687 683 588
5 <b>TOTAL</b>	Other	2,228 <b>7,064</b>

	Leading Causes of Injury Death	
	All Ages: 2007 to 2009	
	ANSON	
Rank	Cause	#
1	MVT, Unintentional	24
2	Poisoning, Unintentional; Firearm,	11
3	Fall, Unintentional	10
4	Firearm, Assault	7
5	Other spec/class, Unintentional	4
	Other	11
TOTAL		78

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 ANSON		
Rank	Cause	#
1	Fall, Unintentional	210
2	MVT, Unintentional	73
3	Other spec/class, Unintentional	46
4	Unspecified, Unintentional	43
5	Poisoning, Unintentional	34
	Other	169
TOTAL		575

	Leading Causes of Injury ED Vis All Ages: 2007 to 2009 ANSON	its**
Rank	Cause	#
1	Fall, Unintentional	473
2	MVT, Unintentional	303
3	Unspecified, Unintentional	222
4	Overexertion, Unintentional	204
5	Struck, Unintentional	195
	Other	617
TOTAL		2,014

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 ASHE	
Rank	Cause	#
1	MVT, Unintentional	18
2	Poisoning, Unintentional	12
3	Firearm, Self inflicted	10
4	Fall, Unintentional	7
5	Unspecified, Unintentional	6
	Other	26
TOTAL		79

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 ASHE		
Rank	Cause	#
1	Fall, Unintentional	317
2	MVT, Unintentional	68
3	Unspecified, Unintentional	47
4	Poisoning, Self inflicted	42
5	Poisoning, Unintentional	31
	Other	131
TOTAL		636

	Leading Causes of Injury ED Visits* All Ages: 2007 to 2009 ASHE	*
Rank	Cause	#
1	Fall, Unintentional	1,017
•	•	*
2	Struck, Unintentional	401
3	MVT, Unintentional	344
4	Overexertion, Unintentional	318
5	Cut/pierce, Unintentional	252
	Other	951
TOTAL		3,283

	Leading Causes of Injury Death All Ages: 2007 to 2009 AVERY	
Rank	Cause	#
1	Firearm, Self inflicted	13
2 3	Poisoning, Unintentional MVT, Unintentional	12 7
4	Unspecified, Unintentional; Fall,	5
5	Poisoning, Self inflicted	3
TOTAL	Other	4 <b>49</b>

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 AVERY		
Rank	Cause	#
1	Fall, Unintentional	220
2	MVT. Unintentional	39
3	Poisoning, Self inflicted	30
4	Poisoning, Unintentional	27
5	Unspecified, Unintentional	22
	Other	85
TOTAL	•	423

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 AVERY	
Rank	Cause	#
1	Fall, Unintentional	1,580
2	Struck, Unintentional	560
3	Overexertion, Unintentional	499
4	Cut/pierce, Unintentional	479
5	MVT, Unintentional	457
	Other	1,124
TOTAL		4,699

	Leading Causes of Injury Death All Ages: 2007 to 2009 BEAUFORT	
Rank	Cause	#
1	MVT, Unintentional	31
2	Firearm, Self inflicted; Fall,	14
3	Poisoning, Unintentional	9
4	Suffocation, Unintentional	7
	Unspecified, Unintentional; Firearm,	5
5	Assault	
	Other	22
TOTAL		107

	All Ages: 2007 to 2009 BEAUFORT	
Rank	Cause	#
1	Fall, Unintentional	414
2	MVT, Unintentional	114
3	Poisoning, Self inflicted	95
4	Other spec/class, Unintentional	74
	Poisoning, Unintentional	62
5	<b>5</b> /	
	Other	313
TOTAL		1,072

	All Ages: 2007 to 2009 BEAUFORT	
Rank	Cause	#
		4.000
1	Fall, Unintentional	4,392
2	MVT, Unintentional	1,970
3	Unspecified, Unintentional	1,773
4	Struck, Unintentional	1,769
	Overexertion, Unintentional	1,585
5		
	Other	5,344
TOTAL		16,833

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 BERTIE	
Rank	Cause	#
1 2 3 4	MVT, Unintentional Fall, Unintentional Unspecified, Unintentional; Suffocation, Unintentional; Pedestrian,other, Unintentional; Other land transport, Unintentional; Machinery, Unintentional; Fire/Burn, Unintentional; Fall, Assault; Drowning, Self inflicted; Cut/pierce, Assault	27 5 4 2 1
TOTAL	Other .	0 <b>55</b>

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 BERTIE		
Rank	Cause	#
1 2 3 4	Fall, Unintentional MVT, Unintentional Unspecified, Unintentional Poisoning, Self inflicted Poisoning, Unintentional	140 73 53 26 24
5 <b>TOTAL</b>	Other .	126 <b>442</b>

	All Ages: 2007 to 2009  BERTIE	
Rank	Cause	#
1 2 3 4	Fall, Unintentional MVT, Unintentional Struck, Unintentional Unspecified, Unintentional Overexertion, Unintentional	1,010 734 459 324 290
5 TOTAL	Other .	1,194 <b>4,011</b>

	Leading Causes of Injury Death All Ages: 2007 to 2009 BLADEN	
Rank	Cause	#
1	MVT, Unintentional	37
2	Poisoning, Unintentional	13
3	Firearm, Assault	12
4	Firearm, Self inflicted	7
5	Unspecified, Unintentional; Fall, Unintentional	4
TOTAL	Other	18 <b>95</b>

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 BLADEN			
Rank	Cause	#	
1	Fall, Unintentional	180	
2	MVT, Unintentional	118	
3	Unspecified, Unintentional	83	
4	Other spec/class, Unintentional	49	
	Poisoning, Unintentional	32	
5			
	Other	204	
TOTAL		666	

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 BLADEN		
Rank	Cause	#
1	Fall, Unintentional	2,446
2	MVT, Unintentional	1,546
3	Unspecified, Unintentional	1,375
4	Struck, Unintentional	1,006
	Overexertion, Unintentional	921
5		
	Other	2,964
TOTAL		10,258

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 BRUNSWICK		
Rank	Cause	#	
1	MVT, Unintentional	80	
2	Poisoning, Unintentional	50	
3	Firearm, Self inflicted	27	
4	Fall, Unintentional	26	
5	Suffocation, Self inflicted	13	
	Other	56	
TOTAL		252	

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 BRUNSWICK		
Rank	Cause	#
4	Fall Unintentional	054
1	Fall, Unintentional	951
2	MVT, Unintentional	260
3	Poisoning, Self inflicted	181
4	Other spec/class, Unintentional	160
5	Unspecified, Unintentional	158
	Other	597
TOTAL		2,307

	Leading Causes of Injury ED Visite All Ages: 2007 to 2009 BRUNSWICK	S**
Rank	Cause	#
1	Fall, Unintentional	6,403
2	MVT, Unintentional	2,809
3	Overexertion, Unintentional	2,613
4	Struck, Unintentional	2,491
5	Unspecified, Unintentional	1,342
	Other	6,334
TOTAL		21,992

Leading Causes of Injury Death All Ages: 2007 to 2009 BUNCOMBE		
Rank	Cause	#
_		0.4
1	Fall, Unintentional	94
2	MVT, Unintentional	83
3	Poisoning, Unintentional	66
4	Firearm, Self inflicted	61
5	Suffocation, Self inflicted	26
	Other	127
TOTAL		457

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 BUNCOMBE		
Rank	Cause	#
1	Fall, Unintentional	2,137
2	MVT, Unintentional	430
3	Unspecified, Unintentional	355
4	Poisoning, Self inflicted	351
5	Other spec/class, Unintentional	270
	Other	1,100
TOTAL	•	4,643

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 BUNCOMBE	
Rank	Cause	#
4	Fell Heliotes Consul	5 4 4 <del>7</del>
1	Fall, Unintentional	5,447
2	MVT, Unintentional	3,164
3	Struck, Unintentional	1,312
4	Unspecified, Unintentional	1,063
5	Overexertion, Unintentional	1,020
	Other	5,708
TOTAL		17,714

Leading Causes of Injury Death All Ages: 2007 to 2009 BURKE Rank Cause #		
1	Poisoning, Unintentional	67
2	MVT, Unintentional	48
3	Firearm, Self inflicted	24
4	Fall, Unintentional	23
5	Unspecified, Unintentional	13
	Other	60
TOTAL		235

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 BURKE		
Rank	Cause	#
1	Fall Unintentional	899
•	Fall, Unintentional	
2	Poisoning, Self inflicted	294
3	MVT, Unintentional	196
4	Unspecified, Unintentional	133
5	Poisoning, Unintentional	127
	Other	543
TOTAL		2,192

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 BURKE			
Rank	Cause	#	
1	Fall, Unintentional	8,103	
2	Struck, Unintentional	3,331	
3	MVT, Unintentional	3,121	
4	Overexertion, Unintentional	2,508	
5	Unspecified, Unintentional	2,357	
	Other	9,119	
TOTAL		28,539	

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 CABARRUS		
Rank	Cause	#
1	Fall, Unintentional	85
2	MVT, Unintentional	74
3	Poisoning, Unintentional	63
4	Firearm, Self inflicted	36
5	Firearm, Assault	21
	Other	93
TOTAL		372

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 CABARRUS		
Rank	Cause	#
1 2 3 4 5	Fall, Unintentional MVT, Unintentional Unspecified, Unintentional Poisoning, Unintentional Poisoning, Self inflicted Other	1,928 475 396 327 295 1,050
TOTAL	•	4,471

	All Ages: 2007 to 2009  CABARRUS	
Rank	Cause	#
1	Fall, Unintentional	11,391
2	Struck, Unintentional	5,170
3	MVT, Unintentional	5,167
4	Overexertion, Unintentional	3,941
5	Unspecified, Unintentional	3,292
	Other	12,624
TOTAL		41,585

	Leading Causes of Injury Death All Ages: 2007 to 2009 CALDWELL	
Rank	Cause	#
1	Poisoning, Unintentional	45
2	MVT, Unintentional	33
3	Fall, Unintentional	24
4	Firearm, Self inflicted	19
5	Poisoning, Self inflicted	12
	Other	50
TOTAL		183

Leading Causes of Injury Hospitalization**  All Ages: 2007 to 2009  CALDWELL		
Rank	Cause	#
1	Fall Unintentional	022
2	Fall, Unintentional	832
_	MVT, Unintentional	201
3	Poisoning, Self inflicted	198
4	Unspecified, Unintentional	98
5	Poisoning, Unintentional	97
	Other	437
TOTAL		1,863

	Leading Causes of Injury ED Visit All Ages: 2007 to 2009 CALDWELL	S**
Rank	Cause	#
1	Fall, Unintentional	6,660
2	MVT, Unintentional	2,843
3	Struck, Unintentional	2,558
4	Overexertion, Unintentional	1,850
5	Cut/pierce, Unintentional	1,582
	Other	6,665
TOTAL		22,158

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 CAMDEN		
Rank	Cause	#
1	MVT, Unintentional	7
2	Poisoning, Unintentional; Fall,	4
	Poisoning, Self inflicted	2
3		
4	Unspecified, Unintentional;	1
5		
3	Other	0
TOTAL		22

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 CAMDEN		
Rank	Cause	#
1	Fall, Unintentional	28
2	Unspecified, Unintentional	7
	Struck, Unintentional; Poisoning,	4
3	Self inflicted	
4	Poisoning, Unintentional; MVT,	3
	Other spec/notclass,	2
	Unintentional; Natural/Environ,	
	Unintentional; Cut/pierce,	
5	Unintentional	
	Other	4
TOTAL	•	62

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 CAMDEN	
Rank	Cause	#
1	MVT, Unintentional	114
2	Fall, Unintentional	70
	Struck, Unintentional	40
3		
4	Transport, other, Unintentional	29
	Unspecified, Unintentional	28
5		
	Other	97
TOTAL		378

	Leading Causes of Injury Death All Ages: 2007 to 2009 CARTERET	
Rank	Cause	#
1	Poisoning, Unintentional	39
	MVT, Unintentional	38
2		
3	Fall, Unintentional	17
4	Firearm, Self inflicted	16
5	Drowning, Unintentional	9
	Other	44
TOTAL		163

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 CARTERET		
Rank	Cause	#
1	Fall, Unintentional	746
	Poisoning, Self inflicted; MVT,	138
2	Unintentional	
3	Unspecified, Unintentional	130
4	Poisoning, Unintentional	104
5	Other spec/class, Unintentional	78
	Other	355
TOTAL		1,689

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 CARTERET	
Cause	#
Fall, Unintentional Overexertion, Unintentional	5,960 2,710
Struck Unintentional	2,450
MVT, Unintentional	1,907
Unspecified, Unintentional Other	1,461 6,401
	20,889
	Fall, Unintentional Overexertion, Unintentional Struck, Unintentional MVT, Unintentional Unspecified, Unintentional Other

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 CASWELL			
Rank	Cause	#	
1	MVT, Unintentional	17	
2	Poisoning, Unintentional	11	
3	Firearm, Self inflicted; Fall,	8	
4	Unspecified, Unintentional; Firearm,	4	
5	Fire/Burn, Unintentional	3	
	Other	8	
TOTAL		63	

Lead	Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 CASWELL				
Rank	Cause	#			
1	Fall, Unintentional	89			
2	MVT, Unintentional	50			
3	Other spec/class, Unintentional	27			
4	Unspecified, Unintentional	16			
5	Poisoning, Self inflicted	15			
	Other	68			
TOTAL		265			

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 CASWELL	
Rank	Cause	#
1	Fall, Unintentional	643
2	MVT, Unintentional	332
3	Overexertion, Unintentional	328
4	Struck, Unintentional	305
5	Unspecified, Unintentional	236
	Other	944
TOTAL		2,788

	Leading Causes of Injury Death All Ages: 2007 to 2009 CATAWBA	
Rank	Cause	#
1	MVT, Unintentional	84
•	,	
2	Poisoning, Unintentional	77
3	Firearm, Self inflicted	47
4	Fall, Unintentional	37
5	Firearm, Assault	26
	Other	102
TOTAL		373

All Ages: 2007 to 2009  CATAWBA					
Rank	Cause	#			
1	Fall. Unintentional	1,216			
2	Poisoning, Self inflicted	431			
3	MVT, Unintentional	335			
4	Other spec/class, Unintentional	198			
5	Unspecified, Unintentional	171			
TOTAL	Other	805 <b>3,156</b>			

	Leading Causes of Injury ED Vi All Ages: 2007 to 2009 CATAWBA	sits**
Rank	Cause	#
1	Fall, Unintentional	13,069
	•	•
2	MVT, Unintentional	5,798
3	Struck, Unintentional	4,923
4	Overexertion, Unintentional	4,405
5	Unspecified, Unintentional	3,622
	Other	13,032
TOTAL		44,849

Leading Causes of Injury ED Visits\*\*
All Ages: 2007 to 2009

Leading Causes of Injury Death All Ages: 2007 to 2009 CHATHAM			
Rank	Cause	#	
1	MVT, Unintentional	39	
2	Firearm, Self inflicted	12	
	Fall, Unintentional	11	
3			
4	Unspecified, Unintentional	10	
5	Firearm, Assault	9	
	Other	46	
TOTAL	-	127	

Lead	ling Causes of Injury Hospitaliz All Ages: 2007 to 2009 CHATHAM	ation**
Rank	Cause	#
1	Fall, Unintentional	446
2	MVT, Unintentional	160
	Unspecified, Unintentional;	66
3	Poisoning, Self inflicted	
4	Other spec/class, Unintentional	62
5	Poisoning, Unintentional	55
	Other	243
TOTAL		1,098

	CHATHAM	
Rank	Cause	#
1	Fall, Unintentional	2,252
2	Struck, Unintentional	927
	Overexertion, Unintentional	792
3		
4	Cut/pierce, Unintentional	787
5	MVT, Unintentional	773
	Other	2,369
TOTAL		7,900

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 CHEROKEE		Lead	ding Causes of Injury Hospitalizat All Ages: 2007 to 2009 CHEROKEE	tion**		Leading Causes of Injury ED Vis All Ages: 2007 to 2009 CHEROKEE	sits**
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1 2 3 4 5	Poisoning, Unintentional MVT, Unintentional Firearm, Self inflicted Fall, Unintentional Poisoning, Self inflicted Other	18 13 10 9 5 20 <b>75</b>	1 2 3 4 5	Fall, Unintentional Poisoning, Unintentional Unspecified, Unintentional Poisoning, Self inflicted Other spec/class, Unintentional Other	316 87 54 53 31 141 <b>682</b>	1 2 3 4 5	Fall, Unintentional MVT, Unintentional Unspecified, Unintentional Struck, Unintentional Overexertion, Unintentional Other	1,073 450 236 221 123 851 <b>2,954</b>
	Leading Causes of Injury Death All Ages: 2007 to 2009 CHOWAN		Lead	ling Causes of Injury Hospitalizar All Ages: 2007 to 2009 CHOWAN	tion**		Leading Causes of Injury ED Vis All Ages: 2007 to 2009 CHOWAN	sits**
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1 2 3 4 5	MVT, Unintentional Unspecified, Unintentional Firearm, Self inflicted; Firearm, Poisoning, Unintentional; Fall, Suffocation, Unintentional Other	8 6 4 3 2 4 <b>34</b>	1 2 3 4 5	Fall, Unintentional MVT, Unintentional Poisoning, Self inflicted Unspecified, Unintentional; Natural/Environ, Unintentional Other	127 26 14 13 8 46 <b>247</b>	1 2 3 4 5	Fall, Unintentional Unspecified, Unintentional Struck, Unintentional MVT, Unintentional Overexertion, Unintentional Other	965 412 404 368 309 986 <b>3,444</b>
	Leading Causes of Injury Death All Ages: 2007 to 2009 CLAY		Lead	ding Causes of Injury Hospitaliza All Ages: 2007 to 2009 CLAY	tion**		Leading Causes of Injury ED Vis All Ages: 2007 to 2009 CLAY	sits**
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1 2 3 4 5	Poisoning, Unintentional; MVT, Fall, Unintentional Poisoning, Self inflicted; Firearm, Unspecified, Unintentional;	8 6 2 1	1 2 3 4 5	Fall, Unintentional Unspecified, Unintentional Poisoning, Unintentional Other spec/class, Unintentional MVT, Unintentional Other	116 18 16 12 11 56	1 2 3 4 5	Fall, Unintentional MVT, Unintentional Unspecified, Unintentional Struck, Unintentional Overexertion, Unintentional Other	302 105 56 55 41 219
TOTAL		34	TOTAL	-	229	TOTAL	-	778

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 CLEVELAND		
Rank	Cause	#
1	MVT, Unintentional	67
2	Poisoning, Unintentional	41
3	Fall, Unintentional	35
4	Firearm, Self inflicted	30
5	Unspecified, Unintentional	18
	Other	72
TOTAL		263

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 CLEVELAND				
Rank	Cause	#		
1	Fall, Unintentional	967		
2	MVT, Unintentional	286		
3	Poisoning, Self inflicted	181		
4	Unspecified, Unintentional	176		
5	Other spec/class, Unintentional	146		
	Other	588		
TOTAL		2,344		

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 CLEVELAND	
Rank	Cause	#
	Fall Halada di sad	0.050
1	Fall, Unintentional	9,052
2	MVT, Unintentional	4,347
3	Overexertion, Unintentional	4,127
4	Struck, Unintentional	4,034
5	Cut/pierce, Unintentional	2,409
	Other	11,074
TOTAL		35,043

Leading Causes of Injury Death All Ages: 2007 to 2009 COLUMBUS		
Rank	Cause	#
	10/7 11 14 14 14	50
1	MVT, Unintentional	58
2	Poisoning, Unintentional	34
3	Firearm, Assault	19
4	Firearm, Self inflicted	15
5	Fall, Unintentional	8
	Other	41
TOTAL		175

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 COLUMBUS			
Rank	Cause	#	
4	= 0.11 : 4 . 4	450	
1	Fall, Unintentional	452	
2	MVT, Unintentional	187	
3	Unspecified, Unintentional	125	
4	Other spec/class, Unintentional	88	
5	Poisoning, Unintentional	84	
	Other	395	
TOTAL	TOTAL 1,33°		
	·		

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 COLUMBUS		
Rank	Cause	#
1	Fall, Unintentional	4,660
2	MVT. Unintentional	3.171
3	Struck, Unintentional	2,276
4	Overexertion, Unintentional	1,875
5	Unspecified, Unintentional	1,287
	Other	5,326
TOTAL		18,595

Leading Causes of Injury Death All Ages: 2007 to 2009 CRAVEN		
Rank	Cause	#
1	MVT, Unintentional	38
2	Poisoning, Unintentional	32
3	Fall, Unintentional	20
4	Unspecified, Unintentional	19
5	Firearm, Assault	15
	Other	76
TOTAL		200

All Ages: 2007 to 2009  CRAVEN		
Rank	Cause	#
	Fall Unintentional	4 000
1	Fall, Unintentional	1,228
2	MVT, Unintentional	248
3	Poisoning, Self inflicted	210
4	Unspecified, Unintentional	207
5	Poisoning, Unintentional	180
	Other	743
TOTAL		2,816
TOTAL		2,8

	All Ages: 2007 to 2009 CRAVEN	
Rank	Cause	#
1	Fall, Unintentional	6,254
2	Overexertion, Unintentional	3,745
3	Struck, Unintentional	3,535
4	MVT, Unintentional	2,868
5	Unspecified, Unintentional	2,395
	Other	8,696
TOTAL		27,493

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 CUMBERLAND		
Rank	Cause	#	
1	MVT, Unintentional	173	
2	Firearm, Self inflicted; Firearm,	68	
3	Poisoning, Unintentional	67	
4	Fall, Unintentional	39	
5	Poisoning, Self inflicted	25	
	Other	150	
TOTAL		590	

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 CUMBERLAND		
Rank	Cause	#
1	Fall Unintentional	1 721
•	Fall, Unintentional	1,721
2	MVT, Unintentional	830
3	Unspecified, Unintentional	606
4	Poisoning, Self inflicted	513
5	Poisoning, Unintentional	368
	Other	1,900
TOTAL		5,938

	Leading Causes of Injury ED Visits* All Ages: 2007 to 2009 CUMBERLAND	*
Rank	Cause	#
1	Fall, Unintentional	12,182
2	MVT, Unintentional	9,138
3	Struck, Unintentional	5,645
4	Unspecified, Unintentional	5,319
5	Overexertion, Unintentional	4,298
	Other	16,856
OTAL		53,438

	Leading Causes of Injury Death All Ages: 2007 to 2009 CURRITUCK	
Rank	Cause	#
1 2 3 4	MVT, Unintentional Unspecified, Unintentional; Firearm, Poisoning, Unintentional; Poisoning, Fall, Unintentional Suffocation, Self inflicted; Pedestrian,other, Unintentional; Fire/Burn, Unintentional	23 7 4 3 2
TOTAL	Other	5 <b>59</b>

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 CURRITUCK		
Rank	Cause	#
1 2 3 4	Fall, Unintentional Poisoning, Self inflicted Unspecified, Unintentional Poisoning, Unintentional Poisoning, Undetermined	63 19 15 11 6
5 <b>TOTAL</b>	Other	26 <b>140</b>

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 CURRITUCK		
Rank	Cause	#
1	Fall, Unintentional	287
2	MVT, Unintentional	165
3	Struck, Unintentional	119
4	Overexertion, Unintentional	112
	Cut/pierce, Unintentional	81
5		
	Other	363
TOTAL	•	1,127

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 DARE		
Rank	Cause	#
1	Poisoning, Unintentional; Firearm,	11
2	MVT, Unintentional; Fall,	9
3	Drowning, Unintentional	5
4	Poisoning, Self inflicted	4
5	Pedestrian, other, Unintentional	3
	Other	14
TOTAL		66

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 DARE		
Rank	Cause	#
1	Fall, Unintentional	143
2	Poisoning, Self inflicted	15
3	MVT, Unintentional	13
4	Unspecified, Unintentional	8
5	Poisoning, Unintentional	7
	Other	42
TOTAL		228

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 DARE		
Rank	Cause	#
1	Fall, Unintentional	1,634
2	Struck, Unintentional	673
3	Overexertion, Unintentional	551
4	Cut/pierce, Unintentional	534
5	MVT, Unintentional	488
	Other	1,704
TOTAL		5,584

Leading Causes of Injury Death All Ages: 2007 to 2009 DAVIDSON		
Rank	Cause	#
1	MVT Unintentional	95
	MVT, Unintentional	
2	Poisoning, Unintentional	69
3	Firearm, Self inflicted	36
4	Fall, Unintentional	22
5	Suffocation, Self inflicted	16
	Other	88
TOTAL		326

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 DAVIDSON		
Rank	Cause	#
1	Fall, Unintentional	1,185
2	MVT, Unintentional	341
3	Unspecified, Unintentional	246
4	Poisoning, Self inflicted	192
5	Poisoning, Unintentional	162
	Other	718
TOTAL		2,844

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 DAVIDSON		
Rank	Cause	#
1	Fall, Unintentional	11.048
2	Struck, Unintentional	4,747
3	Overexertion, Unintentional	4,656
4	MVT, Unintentional	4,035
5	Unspecified, Unintentional	2,868
	Other	12,264
TOTAL		39,618

Leading Causes of Injury Death All Ages: 2007 to 2009 DAVIE		
Rank	Cause	#
1	MVT, Unintentional	21
	Poisoning, Unintentional	17
2		
3	Fall, Unintentional	15
4	Firearm, Self inflicted	12
5	Unspecified, Unintentional	6
	Other	26
TOTAL		97

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 DAVIE		
Rank	Cause	#
1	Fall, Unintentional	396
2	Unspecified, Unintentional; MVT, Unintentional	84
3	Poisoning, Self inflicted	54
4	Poisoning, Unintentional	43
5	Other spec/class, Unintentional	36
	Other	163
TOTAL		860

	All Ages: 2007 to 2009 DAVIE	
Rank	Cause	#
1	Fall, Unintentional MVT, Unintentional	1,872 754
2	WV1, Offinerhorial	754
3	Struck, Unintentional	588
4	Overexertion, Unintentional	454
5	Unspecified, Unintentional	442
	Other	1,346
TOTAL		5,456

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 DUPLIN	
Rank	Cause	#
1	MVT, Unintentional	51
2	Firearm, Self inflicted	23
3	Firearm, Assault; Fall, Unintentional	10
4	Unspecified, Unintentional	9
	Poisoning, Unintentional; Fire/Burn,	6
5	Unintentional	
	Other	30
TOTAL		145

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 DUPLIN		
Rank	Cause	#
1	Fall. Unintentional	402
2	MVT, Unintentional	188
_	-	
3	Unspecified, Unintentional	101
4	Poisoning, Self inflicted	58
	Other spec/class, Unintentional	47
5	•	
	Other	328
TOTAL		1,124

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 DUPLIN		
Rank	Cause	#
1	Fall, Unintentional	3,124
2	MVT, Unintentional	2,097
3	Unspecified, Unintentional	1,231
4	Struck, Unintentional	1,043
	Overexertion, Unintentional	1,025
5		
	Other	3,503
TOTAL		12,023

Leading Causes of Injury Death All Ages: 2007 to 2009 DURHAM		
Rank	Cause	#
1	MVT, Unintentional	79
2	Poisoning, Unintentional	60
3	Firearm, Assault	56
4	Fall, Unintentional	52
5	Firearm, Self inflicted	28
	Other	132
TOTAL		407

	All Ages: 2007 to 2009 DURHAM	
Rank	Cause	#
1	Fall, Unintentional	1,756
2	MVT, Unintentional	527
3	Poisoning, Self inflicted	416
4	Poisoning, Unintentional	361
5	Unspecified, Unintentional	318
	Other	1,524
TOTAL		4,902

	Leading Causes of Injury ED Visits* All Ages: 2007 to 2009 DURHAM	k
Rank	Cause	#
1	Fall Unintentional	10.010
-	Fall, Unintentional	10,019
2	MVT, Unintentional	7,753
3	Overexertion, Unintentional	6,097
4	Struck, Unintentional	5,581
5	Cut/pierce, Unintentional	3,777
	Other	14,509
TOTAL		47,736

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 EDGECOMBE		
Rank	Cause	#
1	MVT, Unintentional	31
2	Fall, Unintentional	18
3	Firearm, Self inflicted	15
	Firearm, Assault	14
4		
5	Poisoning, Unintentional	12
	Other	29
TOTAL		119

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 EDGECOMBE		
Rank	Cause	#
	= "	222
1	Fall, Unintentional	332
2	MVT, Unintentional	156
3	Unspecified, Unintentional	78
	Poisoning, Unintentional;	70
4	Poisoning, Self inflicted	
5	Other spec/class, Unintentional	39
	Other	328
TOTAL		1,073

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 EDGECOMBE		
Rank	Cause	#
_	Fall Heister of the last	4 770
1	Fall, Unintentional	1,779
2	MVT, Unintentional	1,179
3	Struck, Unintentional	728
	Unspecified, Unintentional	652
4	•	
5	Overexertion, Unintentional	592
	Other	2,567
TOTAL		7,497

	Leading Causes of Injury Death All Ages: 2007 to 2009 FORSYTH	
Rank	Cause	#
1	MVT, Unintentional	112
2	Poisoning, Unintentional	97
3	Fall, Unintentional	71
4	Firearm, Self inflicted	63
5	Unspecified, Unintentional	51
	Other	221
TOTAL		615

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 FORSYTH		
Rank	Cause	#
1	Fall, Unintentional	3,283
2	MVT, Unintentional	845
3	Poisoning, Self inflicted	719
4	Unspecified, Unintentional	619
5	Poisoning, Unintentional	368
	Other	2,054
TOTAL	•	7,888

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 FORSYTH		
Rank	Cause	#
1	Fall, Unintentional	22,680
2	MVT, Unintentional	9,746
3	Struck, Unintentional	9,249
4	Overexertion, Unintentional	7,565
5	Unspecified, Unintentional	7,513
	Other	22,484
TOTAL		79,237

	Leading Causes of Injury Death All Ages: 2007 to 2009 FRANKLIN	
Rank	Cause	#
1	MVT, Unintentional	42
2	Poisoning, Unintentional	18
3	Firearm, Self inflicted	13
4	Suffocation, Self inflicted	11
5	Firearm, Assault	8
	Other	33
TOTAL		125

	All Ages: 2007 to 2009 FRANKLIN	
Rank	Cause	#
1	Fall, Unintentional	418
2	MVT, Unintentional	163
3	Unspecified, Unintentional	84
4	Other spec/class, Unintentional	81
5	Poisoning, Unintentional	64
	Other	361
TOTAL		1,171

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 FRANKLIN		
Rank	Cause	#
1	Fall, Unintentional	2,550
2	MVT, Unintentional	1,483
3	Struck, Unintentional	1,182
4	Overexertion, Unintentional	1,040
5	Unspecified, Unintentional	863
	Other	3,061
TOTAL		10,179

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 GASTON		
Rank	Cause	#
1	Poisoning, Unintentional	124
2	MVT, Unintentional	96
3	Firearm, Self inflicted	67
4	Fall, Unintentional	37
5	Firearm, Assault	27
	Other	125
TOTAL		476

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 GASTON		
Rank	Cause	#
1 2	Fall, Unintentional MVT, Unintentional	2,117 569
3 4	Poisoning, Self inflicted Unspecified, Unintentional	555 489
5 <b>TOTAL</b>	Poisoning, Unintentional Other	370 1,324 <b>5,424</b>
IOIAL		5,424

	Leading Causes of Injury ED Visits <sup>3</sup> All Ages: 2007 to 2009 GASTON	r*
Rank	Cause	#
1	Fall Unintentional	7 272
	Fall, Unintentional	7,273
2	MVT, Unintentional	3,704
3	Overexertion, Unintentional	3,152
4	Struck, Unintentional	3,092
5	Unspecified, Unintentional	2,281
	Other	9,311
TOTAL		28,813

	Leading Causes of Injury Death All Ages: 2007 to 2009 GATES	
Rank	Cause	#
1	MVT, Unintentional	15
2	Firearm, Self inflicted; Fall,	3
3	Natural/Environ, Unintentional	2
4	Suffocation, Assault; Poisoning,	1
5	Other	0
<b>TOTAL</b>		<b>29</b>

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 GATES		
Rank	Cause	#
1 2 3 4	Fall, Unintentional Unspecified, Unintentional; MVT, Poisoning, Unintentional Poisoning, Self inflicted; Other Transport,other, Unintentional; Suffocation, Unintentional; Struck, Unintentional; Struck, Assault; Poisoning, Undetermined; Pedestrian,other, Unintentional; Pedal cyclist,other, Unintentional; Overexertion, Unintentional; Cut/pierce, Unintentional	28 9 6 5 1
5 <b>TOTAL</b>	Other	0 <b>71</b>

Leading Causes of Injury ED Visits**		
	GATES	
Rank	Cause	#
1 2 3 4	Fall, Unintentional MVT, Unintentional Struck, Unintentional Overexertion, Unintentional Cut/pierce, Unintentional	196 133 97 65 54
5 <b>TOTAL</b>	Other	211 <b>756</b>

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 GRAHAM	
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	4
2	Firearm, Self inflicted; Fall,	3
3	Fire/Burn, Unintentional	2
4	Unspecified, Assault; Suffocation,	1
5	•	
	Other	0
TOTAL		22

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 GRAHAM		
Rank	Cause	#
1	Fall, Unintentional	93
2	Unspecified, Unintentional	25
3	Poisoning, Unintentional	22
4	Poisoning, Self inflicted	16
5	MVT, Unintentional	14
	Other	42
TOTAL		212

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 GRAHAM		
Rank	Cause	#
1	Fall, Unintentional	482
2	•	196
	Struck, Unintentional	
3	MVT, Unintentional	152
4	Overexertion, Unintentional	142
5	Cut/pierce, Unintentional	116
	Other	672
TOTAL		1,760

Leading Causes of Injury Death All Ages: 2007 to 2009 GRANVILLE		
Rank	Cause	#
1	MVT, Unintentional	34
2	Fall, Unintentional	16
3	Poisoning, Unintentional	15
4	Firearm, Self inflicted	14
5	Suffocation, Self inflicted	7
	Other	31
TOTAL		117

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 GRANVILLE		
Rank	Cause	#
1	Fall, Unintentional	472
2	MVT, Unintentional	133
3	Poisoning, Self inflicted	80
4	Unspecified, Unintentional	78
5	Other spec/class, Unintentional	70
	Other	263
TOTAL		1,096

	Leading Causes of Injury ED Visits All Ages: 2007 to 2009 GRANVILLE	**
Rank	Cause	#
1	Fall, Unintentional	3,343
2	Overexertion, Unintentional	1,841
3	MVT, Unintentional	1,556
4	Struck, Unintentional	1,456
5	Cut/pierce, Unintentional	881
	Other	3,584
TOTAL		12,661

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 GREENE		
Rank	Cause	#	
1	MVT, Unintentional	13	
2	Fall, Unintentional	6	
3	Poisoning, Unintentional; Firearm,	3	
4	Unspecified, Unintentional;	2	
	Other spec/class, Assault; Other	1	
	land transport, Unintentional;		
	Natural/Environ, Unintentional;		
5	Machinery, Unintentional		
	Other	0	
TOTAL	•	41	

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 GREENE		
Rank	Cause	#
1 2 3 4	Fall, Unintentional MVT, Unintentional Unspecified, Unintentional Poisoning, Self inflicted Poisoning, Unintentional	103 49 37 22 19
5 <b>TOTAL</b>	Other	108 <b>338</b>

	All Ages: 2007 to 2009 GREENE	
Rank	Cause	#
1 2 3 4	Fall, Unintentional MVT, Unintentional Overexertion, Unintentional Struck, Unintentional Unspecified, Unintentional	768 486 345 343 225
5 <b>TOTAL</b>	Other -	1,049 <b>3,216</b>

	Leading Causes of Injury Death All Ages: 2007 to 2009 GUILFORD	
Rank	Cause	#
1	Fall, Unintentional	215
2	MVT, Unintentional	183
3	Poisoning, Unintentional	108
4	Firearm, Self inflicted	80
5	Firearm, Assault	74
	Other	220
TOTAL		880

Leading Causes of Injury Hospitalization**  All Ages: 2007 to 2009  GUILFORD		
Rank	Cause	#
1	Fall, Unintentional	4,564
2	MVT, Unintentional	1,203
3	Poisoning, Self inflicted	1,169
4	Unspecified, Unintentional	665
5	Poisoning, Unintentional	506
	Other	2,800
TOTAL #		

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 GUILFORD		
Rank	Cause	#
1	Fall, Unintentional	13,056
2	MVT, Unintentional	6,472
3	Struck, Unintentional	4,453
4	Unspecified, Unintentional	4,195
5	Overexertion, Unintentional	3,083
	Other	15,836
TOTAL		47,095

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 HALIFAX		
Rank	Cause	#	
1	MVT, Unintentional	41	
2	Firearm, Self inflicted	14	
3	Firearm, Assault	13	
4	Poisoning, Unintentional; Fall,	8	
5	Suffocation, Unintentional	7	
	Other	31	
TOTAL		122	

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 HALIFAX		
Rank	Cause	#
1	Fall, Unintentional	601
2	Poisoning, Self inflicted	176
3	MVT, Unintentional	155
4	Unspecified, Unintentional	92
5	Other spec/class, Unintentional	71
	Other	439
TOTAL		1,534

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 HALIFAX		
Rank	Cause	#
1	Fall, Unintentional	4,237
2	MVT, Unintentional	2,177
3	Unspecified, Unintentional	1,740
4	Struck, Unintentional	1,449
5	Overexertion, Unintentional	1,001
	Other	5,566
TOTAL		16,170

	Leading Causes of Injury Death All Ages: 2007 to 2009 HARNETT	
Rank	Cause	#
1	MVT, Unintentional	76
2	Poisoning, Unintentional	28
3	Firearm, Self inflicted	17
4	Firearm, Assault; Fall, Unintentional	15
5	Unspecified, Unintentional	12
	Other	50
TOTAL		213

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 HARNETT		
Rank	Cause	#
1	Fall, Unintentional	860
2	MVT. Unintentional	274
3	Unspecified, Unintentional	200
4	Poisoning, Unintentional	181
5	Other spec/class, Unintentional	162
	Other	757
TOTAL		2,434

	Leading Causes of Injury ED Visits* All Ages: 2007 to 2009 HARNETT	*
Rank	Cause	#
1	Fall Unintentional	5 625
	Fall, Unintentional	5,635
2	MVT, Unintentional	3,457
3	Struck, Unintentional	2,459
4	Unspecified, Unintentional	2,004
5	Overexertion, Unintentional	1,833
	Other	7,283
TOTAL		22,671

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 HAYWOOD	
Rank	Cause	#
1	MVT, Unintentional	30
	•	
2	Poisoning, Unintentional	27
3	Fall, Unintentional	20
4	Firearm, Self inflicted	18
	Unspecified, Unintentional;	7
	Suffocation, Unintentional; Fire/Burn,	
5	Unintentional	
	Other	17
TOTAL		133

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 HAYWOOD		
Rank	Cause	#
1	Fall, Unintentional	825
2	Unspecified, Unintentional	163
3	MVT, Unintentional	138
4	Poisoning, Self inflicted	92
	Other spec/class, Unintentional	90
5		
	Other	394
TOTAL	•	1,702

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 HAYWOOD	
Rank	Cause	#
1 2 3 4	Fall, Unintentional Unspecified, Unintentional Struck, Unintentional MVT, Unintentional Overexertion, Unintentional	5,533 1,938 1,736 1,618 1,526
5 <b>TOTAL</b>	Other	5,398 <b>17,749</b>

1 Fall, Unintentional 2 Poisoning, Unintentional 3 MVT, Unintentional 4 Firearm, Self inflicted	#
<ul><li>2 Poisoning, Unintentional</li><li>3 MVT, Unintentional</li></ul>	
5 Poisoning, Self inflicted Other	60 35 32 23 11 51

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 HENDERSON		
Rank	Cause	#
1	Fall, Unintentional	1,178
2	Poisoning, Self inflicted	256
3	MVT, Unintentional	190
_	•	
4	Poisoning, Unintentional	185
5	Unspecified, Unintentional	138
	Other	531
TOTAL		2,478

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 HENDERSON	
Rank	Cause	#
1	Fall, Unintentional	4,847
2	MVT, Unintentional	1,989
3	Struck, Unintentional	1,233
4	Unspecified, Unintentional	1,194
5	Overexertion, Unintentional	1,058
	Other	3,872
TOTAL		14,193

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 HERTFORD		
Rank	Cause	#
1	MVT, Unintentional	21
	Fall, Unintentional	6
2		
3	Firearm, Assault	5
4	Poisoning, Unintentional	4
	Firearm, Self inflicted; Fire/Burn,	2
5	Unintentional	
	Other	6
TOTAL		46

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 HERTFORD		
Rank	Cause	#
1	Fall, Unintentional	135
	Unspecified, Unintentional; MVT,	56
2	Unintentional	
3	Poisoning, Self inflicted	25
4	Other spec/class, Unintentional	21
	Poisoning, Unintentional	18
5	_	
	Other	73
TOTAL		384

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 HERTFORD	
Rank	Cause	#
1	Fall, Unintentional MVT, Unintentional	1,302 869
2	, 6	
3	Struck, Unintentional	540
4	Overexertion, Unintentional Cut/pierce, Unintentional	383 359
5		
TOTAL	Other	1,272 <b>4,725</b>

Leading Causes of Injury Death All Ages: 2007 to 2009 HOKE		
Rank	Cause	#
1	MVT, Unintentional	42
2	Poisoning, Unintentional	9
3	Firearm, Assault	8
4	Firearm, Self inflicted	4
	Fire/Burn, Unintentional; Fall,	3
	Unintentional; Drowning,	
5	Unintentional	
	Other	10
TOTAL		82

Leading Causes of Injury Hospitalization**  All Ages: 2007 to 2009  HOKE		
Rank	Cause	#
1 2 3 4	Fall, Unintentional MVT, Unintentional Unspecified, Unintentional Poisoning, Self inflicted Other spec/class, Unintentional	190 85 50 38 36
5 <b>TOTAL</b>	Other	192 <b>591</b>

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 HOKE		
Rank	Cause	#
1	Fall, Unintentional	1,327
2	MVT, Unintentional	1,128
3	Struck, Unintentional	591
4	Overexertion, Unintentional	479
	Unspecified, Unintentional	422
5		
	Other	1,736
TOTAL		5,683

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 HYDE		
Rank	Cause	#
1 2 3	Fall, Unintentional Poisoning, Unintentional; MVT, Unspecified, Unintentional; Other	4 2 1
4 5 TOTAL	Other	0 <b>12</b>

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 HYDE		
Rank	Cause	#
4	E-II II dan arang	45
1	Fall, Unintentional	45
2	Poisoning, Self inflicted; MVT,	10
3	Suffocation, Unintentional	4
	Unspecified, Unintentional;	3
	Poisoning, Undetermined; Other	
4	spec/class, Unintentional	
5	Firearm, Unintentional	2
	Other	9
TOTAL		89

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 HYDE	
Rank	Cause	#
1 2 3	Fall, Unintentional Unspecified, Unintentional MVT, Unintentional Struck, Unintentional	341 154 130 125
4 5 <b>TOTAL</b>	Overexertion, Unintentional Other	84 328 <b>1,162</b>

	Leading Causes of Injury Death All Ages: 2007 to 2009 IREDELL	
Rank	Cause	#
	AN (T. 11 )	70
1	MVT, Unintentional	76
2	Poisoning, Unintentional	68
3	Firearm, Self inflicted	26
4	Firearm, Assault	20
5	Unspecified, Unintentional	18
	Other	88
TOTAL	•	296

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 IREDELL		
Rank	Cause	#
4	Fall Unintentional	4 000
1	Fall, Unintentional	1,608
2	MVT, Unintentional	377
3	Poisoning, Self inflicted	314
4	Unspecified, Unintentional	288
5	Poisoning, Unintentional	255
	Other	1,052
TOTAL		3,894

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 IREDELL		
Rank	Cause	#
1	Fall, Unintentional	11,634
2	MVT, Unintentional	5,152
3	Struck, Unintentional	5,128
4	Overexertion, Unintentional	4,810
5	Unspecified, Unintentional	2,792
	Other	11,563
TOTAL		41,079

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 JACKSON		
Rank	Cause	#
1	Poisoning, Unintentional	16
2	Fall, Unintentional	14
3	MVT, Unintentional	12
4	Firearm, Self inflicted	10
5	Suffocation, Unintentional;	6
	Other	23
TOTAL		87

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 JACKSON		
Rank	Cause	#
1	Fall, Unintentional	344
2	MVT, Unintentional	56
3	Unspecified, Unintentional	55
4	Poisoning, Self inflicted	48
5	Poisoning, Unintentional	47
	Other	181
TOTAL		731

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 JACKSON	
Rank	Cause	#
4	Fall Unintesting of	0.740
1	Fall, Unintentional	2,742
2	Struck, Unintentional	1,092
3	Overexertion, Unintentional	962
4	MVT, Unintentional	850
5	Cut/pierce, Unintentional	817
	Other	2,928
TOTAL		9,391

Leading Causes of Injury Death All Ages: 2007 to 2009 JOHNSTON		
Rank	Cause	#
1	MVT, Unintentional	108
2	Fall, Unintentional	50
3	Firearm, Self inflicted	30
4	Poisoning, Unintentional	28
5	Suffocation, Unintentional	15
	Other	75
TOTAL		306

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 JOHNSTON		
Rank	Cause	#
1	Fall, Unintentional	1,269
2	MVT, Unintentional	438
3	Unspecified, Unintentional	405
4	Poisoning, Self inflicted	279
5	Other spec/class, Unintentional	247
	Other	1,054
TOTAL		3,692

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 JOHNSTON		
Rank	Cause	#
1	Fall, Unintentional	9,861
2	Unspecified, Unintentional	4,847
3	MVT, Unintentional	4,613
4	Struck, Unintentional	4,163
5	Overexertion, Unintentional	3,953
	Other	11,492
TOTAL		38,929

	Leading Causes of Injury Death All Ages: 2007 to 2009 JONES	
Rank	Cause	#
1	MVT, Unintentional	6
2	Unspecified, Unintentional;	3
3	Suffocation, Unintentional;	1
4		
5		
TOTAL	Other	0 <b>16</b>

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 JONES		
Rank	Cause	#
1	Fall, Unintentional	94
2	MVT, Unintentional	40
3	Poisoning, Unintentional; Other	20
4	Unspecified, Unintentional	16
5	Poisoning, Self inflicted	14
	Other	63
TOTAL		267

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 JONES		
Rank	Cause	#
1	Fall, Unintentional	563
2	MVT, Unintentional	335
3	Overexertion, Unintentional	306
4	Struck, Unintentional	294
5	Unspecified, Unintentional	232
	Other	775
TOTAL		2,505

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 LEE		
Rank	Cause	#
1	MVT, Unintentional	41
2	Poisoning, Unintentional	19
3	Firearm, Assault	15
4	Firearm, Self inflicted	11
5	Unspecified, Unintentional	7
	Other	35
TOTAL		128

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 LEE		
Rank	Cause	#
1 2 3 4 5	Fall, Unintentional MVT, Unintentional Poisoning, Self inflicted Unspecified, Unintentional Other spec/class, Unintentional Other	381 194 78 71 66 384
TOTAL	•	1,174

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 LEE	
Rank	Cause	#
	Foll Unintentional	2 002
1	Fall, Unintentional	2,992
2	MVT, Unintentional	2,334
3	Struck, Unintentional	1,194
4	Unspecified, Unintentional	1,131
5	Natural/Environ, Unintentional	885
	Other	3,936
TOTAL		12,472

Leading Causes of Injury Death All Ages: 2007 to 2009 LENOIR		
Rank	Cause	#
1	MVT, Unintentional	35
2	Fall, Unintentional	15
3	Poisoning, Unintentional	13
4	Firearm, Self inflicted	11
	Unspecified, Unintentional;	7
5	Suffocation, Unintentional	
	Other	34
TOTAL		122

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 LENOIR		
Rank	Cause	#
1	Fall, Unintentional	723
2	Unspecified, Unintentional	211
3	MVT, Unintentional	191
4	Poisoning, Self inflicted	125
	Poisoning, Unintentional	72
5	<b>.</b>	
	Other	390
TOTAL		1,712

	All Ages: 2007 to 2009  LENOIR	*
Rank	Cause	#
,	= "	4.00=
1	Fall, Unintentional	4,087
2	Overexertion, Unintentional	2,181
3	MVT, Unintentional	2,112
4	Struck, Unintentional	1,774
	Unspecified, Unintentional	1,531
5		
	Other	4,826
TOTAL		16,511

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 LINCOLN		
Rank	Cause	#
1	MVT, Unintentional	54
2	Poisoning, Unintentional	38
3	Firearm, Self inflicted	23
4	Firearm, Assault	9
	Unspecified, Unintentional;	7
	Poisoning, Self inflicted; Fall,	
5	Unintentional	
	Other	28
TOTAL		173

Leading Causes of Injury Hospitalization**  All Ages: 2007 to 2009  LINCOLN		
Rank	Cause	#
1 2 3 4	Fall, Unintentional MVT, Unintentional Poisoning, Self inflicted Unspecified, Unintentional Other spec/class, Unintentional	699 216 172 124 96
5 <b>TOTAL</b>	Other	462 <b>1,769</b>

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 LINCOLN	·
Rank	Cause	#
1	Fall Unintentional	6 771
2	Fall, Unintentional	6,771
3	Struck, Unintentional	3,083
4	Overexertion, Unintentional	2,961
4	MVT, Unintentional	2,938
	Cut/pierce, Unintentional	1,728
5		
L	Other	6,775
TOTAL	•	24,256

Leading Causes of Injury Death All Ages: 2007 to 2009 McDOWELL		
Rank	Cause	#
1	Poisoning, Unintentional	30
2	MVT, Unintentional	26
3	Fall, Unintentional	15
4	Firearm, Self inflicted	9
5	Firearm, Assault	8
	Other	32
TOTAL	•	120

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 McDOWELL		
Rank	Cause	#
1	Fall, Unintentional	430
2	Poisoning, Self inflicted	108
3	MVT, Unintentional	105
4	Other spec/class, Unintentional	70
5	Poisoning, Unintentional	65
	Other	211
TOTAL		989

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 McDOWELL	
Rank	Cause	#
1	Fall, Unintentional	2,259
2	MVT, Unintentional	1,079
3	Struck, Unintentional	552
4	Overexertion, Unintentional	481
5	Struck, Assault	431
	Other	1,938
TOTAL	•	6,740

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 MACON		
Rank	Cause	#
1	Fall, Unintentional	17
2	Poisoning, Unintentional	15
3	Firearm, Self inflicted	13
4	MVT, Unintentional	12
5	Suffocation, Unintentional	7
	Other	25
TOTAL		89

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 MACON		
Rank	Cause	#
4	Fall Unintentional	000
1	Fall, Unintentional	363
2	MVT, Unintentional	49
3	Other spec/class, Unintentional	44
4	Unspecified, Unintentional	36
5	Poisoning, Self inflicted	29
	Other	134
TOTAL		655

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 MACON	·
Rank	Cause	#
1	Fall, Unintentional	2,785
2	•	2,765 981
_	Struck, Unintentional	
3	Overexertion, Unintentional	777
4	Cut/pierce, Unintentional	756
5	MVT, Unintentional	680
	Other	2,654
TOTAL		8,633

	Leading Causes of Injury Death All Ages: 2007 to 2009 MADISON	
Rank	Cause	#
1	MVT, Unintentional	15
2	Poisoning, Unintentional; Firearm,	7
3	Fall, Unintentional	5
4	Suffocation, Self inflicted; Poisoning,	3
	Suffocation, Unintentional; Firearm,	2
5	Assault	
	Other	8
TOTAL		52

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 MADISON		
Rank	Cause	#
1	Fall, Unintentional	189
2	MVT, Unintentional	51
3	Poisoning, Self inflicted	26
4	Other spec/class, Unintentional	20
	Unspecified, Unintentional	19
5		
	Other	98
TOTAL		403

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 MADISON	
Rank	Cause	#
1	Fall, Unintentional	348
2	MVT, Unintentional	227
3	Struck, Unintentional	93
4	Unspecified, Unintentional	70
	Overexertion, Unintentional	66
5		
	Other	412
TOTAL		1,216

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 MARTIN		
Rank	Cause	#
1	MVT, Unintentional	15
2	Poisoning, Unintentional	10
3	Firearm, Self inflicted; Fall,	9
4	Firearm, Assault	7
	Unspecified, Unintentional;	5
5	Poisoning, Self inflicted	
	Other	12
TOTAL	-	72

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 MARTIN		
Rank	Cause	#
1	Fall, Unintentional	191
2	Unspecified, Unintentional	118
3	MVT, Unintentional	75
4	Poisoning, Self inflicted	33
	Poisoning, Unintentional	31
5		
	Other	158
TOTAL		606

	Leading Causes of Injury ED Visits All Ages: 2007 to 2009 MARTIN	6 <sup>**</sup>
Rank	Cause	#
	E-II Halata di and	4.444
1	Fall, Unintentional	1,141
2	Unspecified, Unintentional	652
3	MVT, Unintentional	607
4	Struck, Unintentional	413
	Overexertion, Unintentional	257
5	·	
	Other	1,215
TOTAL		4,285

	Leading Causes of Injury Death All Ages: 2007 to 2009 MECKLENBURG			
Rank	Cause	#		
1	MVT, Unintentional	251		
2	Firearm, Assault	170		
3	Poisoning, Unintentional	147		
4	Fall, Unintentional	121		
5	Firearm, Self inflicted	114		
	Other	356		
TOTAL	TOTAL 1,159			

	All Ages: 2007 to 2009  MECKLENBURG		
Rank	Cause	#	
1	Fall, Unintentional	5,481	
2	MVT, Unintentional	1,535	
3	Unspecified, Unintentional	1,140	
4	Poisoning, Self inflicted	1,102	
5	Other spec/class, Unintentional	809	
	Other	3,935	
TOTAL ##			

	All Ages: 2007 to 2009  MECKLENBURG	isits**
Rank	Cause	#
1	Fall, Unintentional	42,504
2	MVT, Unintentional	26,169
3	Struck, Unintentional	18,532
4	Unspecified, Unintentional	18,124
5	Overexertion, Unintentional	13,463
	Other	49,570
TOTAL		168,362

	Leading Causes of Injury Death All Ages: 2007 to 2009 MITCHELL	
Rank	Cause	#
_		
1	Poisoning, Unintentional	11
2	MVT, Unintentional	7
3	Suffocation, Unintentional; Fall,	5
4	Firearm, Self inflicted	4
5	Unspecified, Unintentional	2
	Other	6
TOTAL		

	All Ages: 2007 to 2009 MITCHELL	
Rank	Cause	#
1	Fall, Unintentional	242
2	Other spec/class, Unintentional	43
3	MVT, Unintentional	40
4	Poisoning, Unintentional	37
5	Unspecified, Unintentional	23
	Other	103
TOTAL		488

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 MITCHELL					
Rank	Cause	#			
1	Fall, Unintentional	670			
2	MVT, Unintentional	313			
3	Struck, Unintentional	133			
4	Overexertion, Unintentional	89			
5	Other spec/class, Unintentional	84			
	Other	588			
TOTAL	OTAL 1,877				

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 MONTGOMERY		Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 MONTGOMERY		Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 MONTGOMERY		isits**		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1 2 3 4 5	MVT, Unintentional Firearm, Assault Fall, Unintentional Poisoning, Unintentional; Firearm, Unspecified, Unintentional Other	17 9 7 6 5 16 <b>66</b>	1 2 3 4 5	Fall, Unintentional MVT, Unintentional Poisoning, Self inflicted Other spec/class, Unintentional Unspecified, Unintentional Other	268 58 44 28 27 184 <b>609</b>	1 2 3 4 5	Fall, Unintentional Struck, Unintentional MVT, Unintentional Overexertion, Unintentional Cut/pierce, Unintentional Other	1,236 539 503 461 384 1,396 <b>4,519</b>
	Leading Causes of Injury Death All Ages: 2007 to 2009 MOORE		Lead	ling Causes of Injury Hospitaliza All Ages: 2007 to 2009 MOORE	tion**		Leading Causes of Injury ED Vi All Ages: 2007 to 2009 MOORE	sits**
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1 2 3 4 5	MVT, Unintentional Poisoning, Unintentional Unspecified, Unintentional; Firearm, Firearm, Assault Poisoning, Self inflicted Other	42 26 24 19 8 37 <b>204</b>	1 2 3 4 5	Fall, Unintentional MVT, Unintentional Poisoning, Self inflicted Poisoning, Unintentional Unspecified, Unintentional Other	1,142 262 183 113 99 536 <b>2,335</b>	1 2 3 4 5	Fall, Unintentional MVT, Unintentional Struck, Unintentional Overexertion, Unintentional Cut/pierce, Unintentional Other	5,246 2,679 1,567 1,479 1,022 4,062 <b>16,055</b>
	Leading Causes of Injury Death All Ages: 2007 to 2009 NASH		Lead	ding Causes of Injury Hospitaliza All Ages: 2007 to 2009 NASH	tion**		Leading Causes of Injury ED Vi All Ages: 2007 to 2009 NASH	sits**
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1 2 3 4 5	MVT, Unintentional Firearm, Assault Firearm, Self inflicted Poisoning, Unintentional Fall, Unintentional Other	49 25 24 16 15 51	1 2 3 4 5	Fall, Unintentional MVT, Unintentional Unspecified, Unintentional Poisoning, Self inflicted Other spec/class, Unintentional Other	890 267 172 133 122 673	1 2 3 4 5	Fall, Unintentional MVT, Unintentional Overexertion, Unintentional Struck, Unintentional Unspecified, Unintentional Other	1,648 1,204 779 725 644 2,381
TOTAL		180	TOTAL	-	2,257	TOTAL	-	7,381

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 NEW HANOVER	
Rank	Cause	#
1	Poisoning, Unintentional	83
2	MVT, Unintentional	65
3	Firearm, Self inflicted	38
4	Fall, Unintentional	31
5	Firearm, Assault	24
	Other	123
TOTAL		364

Lead	ling Causes of Injury Hospitalizat All Ages: 2007 to 2009 NEW HANOVER	ion**				
Rank	Cause	#				
1	Fall, Unintentional	1,493				
2	MVT, Unintentional	389				
3	Poisoning, Self inflicted	364				
4	Unspecified, Unintentional	279				
5	Poisoning, Unintentional	202				
TOTAL	Other	1,032				
IOTAL	OTAL 3,759					

	Leading Causes of Injury ED Visits* All Ages: 2007 to 2009 NEW HANOVER	*
Rank	Cause	#
1	Fall, Unintentional	12,228
2	MVT, Unintentional	6,717
3	Struck, Unintentional	4,273
4	Overexertion, Unintentional	3,957
5	Unspecified, Unintentional	3,006
	Other	13,118
TOTAL		43,299

	Leading Causes of Injury Death All Ages: 2007 to 2009 NORTHAMPTON	
Rank	Cause	#
4	NAVT Unintentional	0.4
1	MVT, Unintentional	24
2	Firearm, Self inflicted	6
3	Poisoning, Unintentional; Firearm,	5
4	Suffocation, Unintentional	3
5	Unspecified, Assault; Firearm,	2
	Other	7
TOTAL		58

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 NORTHAMPTON		
Rank	Cause	#
1	Fall, Unintentional	218
2	MVT, Unintentional	77
3	Unspecified, Unintentional	41
4	Poisoning, Self inflicted	22
5	Other spec/class, Unintentional	19
	Other	159
TOTAL	-	536

	Leading Causes of Injury ED Visits* All Ages: 2007 to 2009 NORTHAMPTON	*
Rank	Cause	#
1	Fall, Unintentional	1,643
	•	,
2	MVT, Unintentional	831
3	Struck, Unintentional	545
4	Unspecified, Unintentional	486
5	Overexertion, Unintentional	348
	Other	1,771
TOTAL		5,624

ONSLOW	
Cause	#
MVT, Unintentional Poisoning, Unintentional Firearm, Self inflicted Fall, Unintentional Firearm, Assault Other	92 49 32 22 14 85 <b>294</b>
	Cause  MVT, Unintentional Poisoning, Unintentional Firearm, Self inflicted Fall, Unintentional Firearm, Assault

All Ages: 2007 to 2009 ONSLOW		
Rank	Cause	#
1	Fall, Unintentional	652
2	MVT, Unintentional	381
3	Unspecified, Unintentional	180
4	Poisoning, Unintentional	146
5	Other spec/class, Unintentional	117
	Other	688
TOTAL		2,164

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 ONSLOW	
Rank	Cause	#
1	Fall, Unintentional	9,005
2	MVT, Unintentional	4,703
3	Struck, Unintentional	3,408
4	Unspecified, Unintentional	3,278
5	Overexertion, Unintentional	2,839
	Other	11,352
TOTAL		34,585

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 ORANGE	
Rank	Cause	#
1	MVT, Unintentional	38
2	Poisoning, Unintentional	27
3	Fall, Unintentional	16
4	Suffocation, Self inflicted	15
5	Firearm, Self inflicted	13
	Other	56
TOTAL		165

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 ORANGE		
Rank	Cause	#
1	Fall, Unintentional	964
2	MVT, Unintentional	300
3	Poisoning, Self inflicted	245
4	Poisoning, Unintentional	193
5	Unspecified, Unintentional	162
	Other	768
TOTAL		2,632

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 ORANGE	
Rank	Cause	#
1	Fall. Unintentional	4.929
2	Struck, Unintentional	2,030
3	MVT, Unintentional	1,842
4	Overexertion, Unintentional	1,758
5	Cut/pierce, Unintentional	1,372
	Other	5,499
TOTAL		17,430

	Leading Causes of Injury Death All Ages: 2007 to 2009 PAMLICO	
Rank	Cause	#
4	NAVIT III day day al	4.5
1	MVT, Unintentional	15
2	Fall, Unintentional	7
	Firearm, Self inflicted	6
3		
4	Drowning, Unintentional	4
5	Unspecified, Unintentional	3
	Other	10
TOTAL		45

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 PAMLICO		
Rank	Cause	#
1	Fall, Unintentional	128
2	MVT, Unintentional	36
	Unspecified, Unintentional;	31
3	Poisoning, Unintentional	
4	Other spec/class, Unintentional	28
5	Poisoning, Self inflicted	24
	Other	60
TOTAL		338

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 PAMLICO	
Rank	Cause	#
1	Fall, Unintentional	514
2	Overexertion, Unintentional	272
	MVT, Unintentional	270
3		
4	Struck, Unintentional	235
5	Unspecified, Unintentional	177
	Other	698
TOTAL		2,166

	All Ages: 2007 to 2009 PASQUOTANK	
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	12
2	Fall, Unintentional	9
3	Unspecified, Unintentional	8
4	Poisoning, Self inflicted; Firearm,	5
5	Transport,other, Unintentional	3
	Other	7
TOTAL		66

	All Ages: 2007 to 2009 PASQUOTANK	
Rank	Cause	#
1	Fall, Unintentional	283
2	Unspecified, Unintentional	51
3	MVT, Unintentional	37
4	Poisoning, Self inflicted	34
5	Poisoning, Unintentional	24
	Other	117
TOTAL		546

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 PASQUOTANK	
Rank	Cause	#
1	MVT, Unintentional	847
2	Fall, Unintentional	396
3	Unspecified, Unintentional	210
4	Struck, Unintentional	173
5	Overexertion, Unintentional	129
	Other	592
TOTAL		2,347

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 PENDER	All Ages: 2007 to 2009 All Ages: 2007 to 2009 All Ages: 2007 to 2009		iits**				
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1 2 3 4 5	MVT, Unintentional Poisoning, Unintentional Firearm, Self inflicted Fall, Unintentional Unspecified, Unintentional; Fire/Burn, Unintentional Other	48 19 18 8 6 28 133 T	2 3 4 5	Fall, Unintentional MVT, Unintentional Unspecified, Unintentional Other spec/class, Unintentional Poisoning, Self inflicted Other	308 138 76 75 51 226 <b>874</b>	1 2 3 4 5	Fall, Unintentional MVT, Unintentional Unspecified, Unintentional Struck, Unintentional Overexertion, Unintentional Other	2,059 1,520 774 586 554 1,780 <b>7,273</b>
	Leading Causes of Injury Death All Ages: 2007 to 2009 PERQUIMANS		Leadi	ing Causes of Injury Hospitaliza All Ages: 2007 to 2009 PERQUIMANS	tion**		Leading Causes of Injury ED Vis All Ages: 2007 to 2009 PERQUIMANS	its**
Rank	Cause	,,					^	
		#	Rank	Cause	#	Rank	Cause	#
1 2 3 4	MVT, Unintentional Poisoning, Unintentional Fall, Unintentional Firearm, Self inflicted Unspecified, Unintentional; Transport,other, Unintentional; Suffocation, Unintentional; Suffocation, Self inflicted; Poisoning, Undetermined; Firearm, Assault; Fire/Burn, Unintentional	5 4 3 2 1	1 2 3 4	Fall, Unintentional Unspecified, Unintentional Poisoning, Unintentional Natural/Environ, Unintentional Poisoning, Self inflicted	94 19 15 13 12	1 2 3 4	Fall, Unintentional MVT, Unintentional Struck, Unintentional Unspecified, Unintentional Overexertion, Unintentional	295 214 123 119 112

TOTAL

1,257

200

TOTAL

TOTAL

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 PERSON			
Rank	Cause	#	
1	MVT, Unintentional	29	
2	Poisoning, Unintentional	18	
3	Firearm, Self inflicted	10	
4	Firearm, Assault; Fall, Unintentional	5	
5	Suffocation, Unintentional	4	
	Other	16	
TOTAL		87	

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 PERSON			
Rank	Cause	#	
1	Fall, Unintentional	411	
2	MVT, Unintentional	129	
3	Unspecified, Unintentional	88	
4	Poisoning, Unintentional;	61	
5	Other spec/class, Unintentional	55	
	Other	255	
TOTAL		1,060	

	Leading Causes of Injury ED Visits* All Ages: 2007 to 2009 PERSON	*
Rank	Cause	#
1	Fall, Unintentional	3,017
2	Overexertion, Unintentional	1,844
_		,
3	Struck, Unintentional	1,445
4	MVT, Unintentional	1,316
5	Cut/pierce, Unintentional	988
	Other	3,713
TOTAL		12,323

	Leading Causes of Injury Death All Ages: 2007 to 2009 PITT	
Rank	Cause	#
1	MVT Unintentional	90
	MVT, Unintentional	89
2	Poisoning, Unintentional; Fall,	40
3	Firearm, Assault	26
4	Firearm, Self inflicted	17
5	Unspecified, Unintentional	7
	Other	51
TOTAL		270

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 PITT			
Rank	Cause	#	
1	Fall, Unintentional	912	
2	MVT, Unintentional	386	
3	Poisoning, Self inflicted	304	
4	Poisoning, Unintentional	157	
5	Unspecified, Unintentional	81	
	Other	715	
TOTAL		2,555	

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 PITT				
Rank	Cause	#		
1	Fall, Unintentional	5,085		
2	MVT, Unintentional	3,546		
3	Struck, Unintentional	2,403		
4	Overexertion, Unintentional	1,733		
5	Cut/pierce, Unintentional	1,588		
	Other	6,822		
TOTAL		21,177		

Leading Causes of Injury Death All Ages: 2007 to 2009 POLK		
Rank	Cause	#
1	MVT, Unintentional	10
2	Fall, Unintentional	9
3	Poisoning, Unintentional	8
	Unspecified, Unintentional	6
4		
5	Firearm, Self inflicted	5
	Other	19
TOTAL		57

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 POLK				
Rank	Cause	#		
4	Fall Unintentional	202		
1	Fall, Unintentional	262		
2	Poisoning, Self inflicted	29		
3	Unspecified, Unintentional	21		
	Poisoning, Unintentional; MVT,	19		
4	Unintentional			
5	Other spec/class, Unintentional	17		
	Other	74		
TOTAL		441		

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 POLK				
Cause	#			
Fall Unintentional	837			
•	342			
•	203			
Unspecified, Unintentional	118			
·				
Other spec/class, Unintentional	86			
Other	500			
	2,289			
	All Ages: 2007 to 2009 POLK Cause  Fall, Unintentional MVT, Unintentional Struck, Unintentional; Overexertion, Unspecified, Unintentional Other spec/class, Unintentional			

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 RANDOLPH		
Rank	Cause	#
1	MVT, Unintentional	79
2	Fall, Unintentional	57
3	Firearm, Self inflicted	46
4	Poisoning, Unintentional	45
5	Poisoning, Self inflicted	18
	Other	91
TOTAL		336

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 RANDOLPH			
Rank	Cause	#	
1	Fall, Unintentional	1,324	
2	MVT, Unintentional	366	
3	Poisoning, Self inflicted	261	
4	Unspecified, Unintentional	216	
5	Other spec/class, Unintentional	167	
	Other	858	
TOTAL		3,192	

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 RANDOLPH	
Rank	Cause	#
1	Fall Unintentional	10.671
	Fall, Unintentional	10,671
2	MVT, Unintentional	4,520
3	Struck, Unintentional	3,528
4	Unspecified, Unintentional	2,878
5	Overexertion, Unintentional	2,771
	Other	10,914
TOTAL		35,282

	Leading Causes of Injury Death All Ages: 2007 to 2009 RICHMOND	
Rank	Cause	#
4	ADAT III i a a a l	0.4
1	MVT, Unintentional	31
2	Poisoning, Unintentional	26
3	Firearm, Self inflicted	15
4	Firearm, Assault	8
5	Fall, Unintentional	7
	Other	38
TOTAL		125

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 RICHMOND		
Rank	Cause	#
1	Fall, Unintentional	520
2	MVT, Unintentional	158
3	Poisoning, Self inflicted	92
4	Unspecified, Unintentional	87
5	Poisoning, Unintentional	79
	Other	404
TOTAL 1,340		

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 RICHMOND		
Rank	Cause	#
1	Fall Unintentional	2 922
	Fall, Unintentional	2,832
2	MVT, Unintentional	1,781
3	Struck, Unintentional	1,070
4	Overexertion, Unintentional	1,007
5	Unspecified, Unintentional	837
	Other	3,631
TOTAL		11,158

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 ROBESON		
Rank	Cause	#
1	MVT, Unintentional	152
2	Firearm, Assault	70
3	Poisoning, Unintentional; Firearm,	30
4	Fall, Unintentional	19
	Unspecified, Unintentional;	14
5	Cut/pierce, Assault	
	Other	79
TOTAL		408

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 ROBESON		
Rank	Cause	#
1	Fall, Unintentional	704
2	Unspecified, Unintentional	679
3	MVT, Unintentional	564
4	Poisoning, Self inflicted	298
	Poisoning, Unintentional	267
5	-	
	Other	1,209
TOTAL		3,721

	Leading Causes of Injury ED Visits* All Ages: 2007 to 2009 ROBESON	*
Rank	Cause	#
		40.050
1	Fall, Unintentional	10,258
2	MVT, Unintentional	8,088
3	Unspecified, Unintentional	4,679
4	Struck, Unintentional	3,943
	Overexertion, Unintentional	3,563
5	,	,
	Other	14,385
TOTAL		44,916

	Leading Causes of Injury Death All Ages: 2007 to 2009 ROCKINGHAM	
Rank	Cause	#
1	MVT, Unintentional	76
2	Poisoning, Unintentional	51
3	Fall, Unintentional	31
4	Firearm, Self inflicted	21
5	Unspecified, Unintentional	16
	Other	65
TOTAL		260

All Ages: 2007 to 2009  ROCKINGHAM		
Rank	Cause	#
1	Fall, Unintentional	1,317
2	,	323
_	MVT, Unintentional	
3	Poisoning, Self inflicted	290
4	Poisoning, Unintentional	215
5	Unspecified, Unintentional	193
	Other	770
TOTAL		3,108

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 ROCKINGHAM		
Cause	#	
Fall, Unintentional	6,069	
Struck, Unintentional	2,042	
Unspecified, Unintentional	1,949	
MVT, Unintentional	1,850	
Overexertion, Unintentional	1,450	
Other	6,969	
	20,329	
	Fall, Unintentional Struck, Unintentional Unspecified, Unintentional MVT, Unintentional Overexertion, Unintentional Other	

	Leading Causes of Injury Death All Ages: 2007 to 2009 ROWAN	
Rank	Cause	#
1	MVT, Unintentional	79
2	Poisoning, Unintentional	70
3	Fall, Unintentional	47
4	Firearm, Self inflicted	30
5	Firearm, Assault	17
	Other	85
TOTAL		328

	All Ages: 2007 to 2009 ROWAN	
Rank	Cause	#
		4.000
1	Fall, Unintentional	1,280
2	MVT, Unintentional	378
3	Unspecified, Unintentional	377
4	Poisoning, Self inflicted	236
5	Other spec/class, Unintentional	213
	Other	706
TOTAL		3,190

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 ROWAN	
Rank	Cause	#
1	Fall, Unintentional	9,595
2	MVT, Unintentional	4,889
3	Unspecified, Unintentional	3,599
4	Struck, Unintentional	3,510
5	Overexertion, Unintentional	3,152
	Other	9,848
TOTAL		34,593

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 RUTHERFORD		Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 RUTHERFORD		Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 RUTHERFORD				
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1 2 3 4 5	Poisoning, Unintentional MVT, Unintentional Firearm, Self inflicted Fall, Unintentional Suffocation, Self inflicted Other	47 28 15 13 9 36 <b>148</b>	1 2 3 4 5	Fall, Unintentional Poisoning, Unintentional Poisoning, Self inflicted MVT, Unintentional Other spec/class, Unintentional Other	738 153 145 144 98 408 <b>1,686</b>	1 2 3 4 5	Fall, Unintentional MVT, Unintentional Struck, Unintentional Overexertion, Unintentional Unspecified, Unintentional Other	7,639 2,606 2,594 2,517 2,101 7,189 <b>24,646</b>
	Leading Causes of Injury Death All Ages: 2007 to 2009 SAMPSON		Lead	ling Causes of Injury Hospitaliza All Ages: 2007 to 2009 SAMPSON	tion**		Leading Causes of Injury ED Vi All Ages: 2007 to 2009 SAMPSON	sits**
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1 2 3 4 5	MVT, Unintentional Poisoning, Unintentional Fall, Unintentional Firearm, Assault Firearm, Self inflicted Other	63 29 22 21 12 47 <b>194</b>	1 2 3 4 5	Fall, Unintentional MVT, Unintentional Unspecified, Unintentional Poisoning, Self inflicted Other spec/class, Unintentional Other	584 250 183 114 101 523 <b>1,755</b>	1 2 3 4 5	Fall, Unintentional MVT, Unintentional Unspecified, Unintentional Struck, Unintentional Overexertion, Unintentional Other	4,402 2,687 2,274 1,970 1,616 5,563 <b>18,512</b>
	Leading Causes of Injury Death All Ages: 2007 to 2009 SCOTLAND		Lead	ding Causes of Injury Hospitaliza All Ages: 2007 to 2009 SCOTLAND	tion**		Leading Causes of Injury ED Vi All Ages: 2007 to 2009 SCOTLAND	sits**
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1 2 3 4 5	MVT, Unintentional Firearm, Assault Poisoning, Unintentional Fall, Unintentional Fire/Burn, Unintentional Other	23 19 10 9 7 25 <b>93</b>	1 2 3 4 5	Fall, Unintentional MVT, Unintentional Poisoning, Unintentional Poisoning, Self inflicted Unspecified, Unintentional Other	372 110 83 78 51 268 <b>962</b>	1 2 3 4 5	Fall, Unintentional MVT, Unintentional Struck, Unintentional Overexertion, Unintentional Unspecified, Unintentional Other	2,828 1,654 1,373 1,065 912 3,567 <b>11,399</b>

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 STANLY	
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	28
2	Firearm, Self inflicted	22
3	Unspecified, Unintentional	12
4	Fall, Unintentional	9
	Poisoning, Self inflicted; Firearm,	7
5	Assault	
	Other	32
TOTAL		145

Lead	ling Causes of Injury Hospitaliza All Ages: 2007 to 2009 STANLY	tion**
Rank	Cause	#
1	Fall, Unintentional	639
2	MVT, Unintentional	180
3	Unspecified, Unintentional	103
4	Other spec/class, Unintentional	97
	Poisoning, Self inflicted	93
5	3	
	Other	377
TOTAL		1,489

	All Ages: 2007 to 2009 STANLY	
Rank	Cause	#
1	Fall, Unintentional	1,074
2	MVT, Unintentional	601
3	Struck, Unintentional	368
4	Natural/Environ, Unintentional	339
	Overexertion, Unintentional	325
5		
	Other	1,432
TOTAL		4,139

	Leading Causes of Injury Death All Ages: 2007 to 2009 STOKES	
Rank	Cause	#
1	MVT, Unintentional	31
2	Poisoning, Unintentional	22
3	Firearm, Self inflicted	19
4	Fall, Unintentional	13
5	Unspecified, Unintentional	9
	Other	23
TOTAL		117

Lead	ling Causes of Injury Hospitali All Ages: 2007 to 2009 STOKES	zation**
Rank	Cause	#
1	Fall, Unintentional	487
2	MVT, Unintentional	132
3	Poisoning, Self inflicted	114
4	Unspecified, Unintentional	94
5	Poisoning, Unintentional	56
	Other	278
TOTAL		1,161

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 STOKES	•
Rank	Cause	#
1	Fall, Unintentional	4,783
2	Struck, Unintentional	2,082
3	Unspecified, Unintentional	1,354
4	MVT, Unintentional	1,256
5	Cut/pierce, Unintentional	1,111
	Other	4,137
TOTAL		14,723

	Leading Causes of Injury Death All Ages: 2007 to 2009 SURRY	
Rank	Cause	#
1	MVT, Unintentional	40
2	Poisoning, Unintentional	33
3	Fall, Unintentional	18
4	Firearm, Self inflicted	16
5	Suffocation, Unintentional	14
	Other	50
TOTAL		171

Lead	ling Causes of Injury Hospitalizat All Ages: 2007 to 2009 SURRY	tion**
Rank	Cause	#
1	Fall, Unintentional	1,049
2	MVT, Unintentional	223
3	Poisoning, Self inflicted	203
4	Unspecified, Unintentional	168
5	Poisoning, Unintentional	158
3	Other	486
TOTAL		2,287

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 SURRY		
Rank	Cause	#
1	Fall, Unintentional	7,102
2	Overexertion, Unintentional	2,564
3	MVT, Unintentional	2,501
4	Struck, Unintentional	2,463
5	Unspecified, Unintentional	1,751
	Other	7,410
TOTAL		23,791

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 SWAIN	
Rank	Cause	#
1	Poisoning, Unintentional	13
2	MVT, Unintentional	9
3	Fall, Unintentional	7
4	Firearm, Self inflicted	4
5	Firearm, Assault	3
	Other	12
TOTAL		48

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 SWAIN		
Rank	Cause	#
1	Fall, Unintentional	188
2	Unspecified, Unintentional	54
3	MVT, Unintentional	51
4	Poisoning, Unintentional	43
5	Poisoning, Self inflicted	41
	Other	134
TOTAL	•	511

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 SWAIN	
Rank	Cause	#
1	Fall Unintentional	1 522
	Fall, Unintentional	1,532
2	Struck, Unintentional	652
3	Overexertion, Unintentional	555
4	Cut/pierce, Unintentional	458
5	MVT, Unintentional	410
	Other	1,937
TOTAL		5,544

	Leading Causes of Injury Death All Ages: 2007 to 2009 TRANSYLVANIA	
Rank	Cause	#
,		
1	Poisoning, Unintentional	23
2	MVT, Unintentional	16
3	Fall, Unintentional	10
4	Firearm, Self inflicted	8
	Unspecified, Unintentional	6
5	•	
	Other	25
TOTAL		88

All Ages: 2007 to 2009 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	396
2	Poisoning, Self inflicted	69
3	MVT, Unintentional	54
4	Unspecified, Unintentional	50
5	Poisoning, Unintentional; Other spec/class, Unintentional	39
TOTAL	Other -	133 <b>780</b>

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	3,554
2	Struck, Unintentional	1,734
3	Overexertion, Unintentional	1,463
4	Unspecified, Unintentional	1,341
	MVT, Unintentional	921
5		
	Other	3,323
TOTAL		12,336

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 TYRRELL	
Rank	Cause	#
1 2 3 4	MVT, Unintentional Fall, Unintentional Poisoning, Self inflicted; Firearm,	6 2 1
5 <b>TOTAL</b>	Other	0 <b>12</b>

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 TYRRELL		
Rank	Cause	#
1	Fall, Unintentional	26
2	MVT, Unintentional	6
3	Poisoning, Self inflicted	5
4	Unspecified, Unintentional	3
5	Poisoning, Unintentional; Natural/Environ, Unintentional	2
TOTAL	Other	5 <b>49</b>

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 TYRRELL	
Rank	Cause	#
1	Fall, Unintentional	159
2	Struck, Unintentional	66
3	Overexertion, Unintentional	55
4	Unspecified, Unintentional	54
	MVT, Unintentional	53
5	,	
	Other	146
TOTAL		533

	Leading Causes of Injury Death All Ages: 2007 to 2009 UNION	
Rank	Cause	#
_		
1	MVT, Unintentional	79
2	Firearm, Self inflicted	38
3	Fall, Unintentional	30
4	Poisoning, Unintentional	28
5	Firearm, Assault	17
	Other	69
TOTAL		261

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 UNION			
Rank	Cause	#	
1	Fall, Unintentional	1,168	
2	MVT, Unintentional	370	
3	Poisoning, Self inflicted	244	
_	•		
4	Unspecified, Unintentional	236	
5	Other spec/class, Unintentional	211	
	Other	826	
TOTAL	TOTAL 3,055		

#
0.000
8,230
4,989
3,926
3,371
3,318
10,099
33,933

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 VANCE		
Rank	Cause	#	
1	MVT, Unintentional	29	
2	Poisoning, Unintentional	20	
	Firearm, Assault	18	
3			
4	Firearm, Self inflicted; Fall,	10	
5	Unspecified, Unintentional	9	
	Other	27	
TOTAL		123	

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 VANCE		
Rank	Cause	#
1	Fall Unintentional	450
-	Fall, Unintentional	452
2	MVT, Unintentional	141
	Unspecified, Unintentional;	69
3	Poisoning, Unintentional	
4	Poisoning, Self inflicted	56
5	Firearm, Assault	42
	Other	295
TOTAL		1,124

	All Ages: 2007 to 2009  VANCE	
Rank	Cause	#
1	Fall, Unintentional	1,493
2	MVT, Unintentional	927
	Overexertion, Unintentional	676
3		
4	Struck, Unintentional	619
5	Natural/Environ, Unintentional	344
	Other	1,765
TOTAL	•	5,824

Leading Causes of Injury Death All Ages: 2007 to 2009 WAKE		
Rank	Cause	#
1	MVT, Unintentional	225
2	Fall, Unintentional	141
3	Poisoning, Unintentional	140
4	Firearm, Self inflicted	114
5	Firearm, Assault	56
	Other	292
TOTAL		968

Lead	ling Causes of Injury Hospitaliza All Ages: 2007 to 2009 WAKE	ation**
Rank	Cause	#
4	Fall Unintentional	F 040
1	Fall, Unintentional	5,012
2	MVT, Unintentional	1,475
3	Unspecified, Unintentional	975
4	Other spec/class, Unintentional	845
5	Poisoning, Self inflicted	795
	Other	3,711
TOTAL		#####

	Leading Causes of Injury ED Visit All Ages: 2007 to 2009 WAKE	ts**
Rank	Cause	#
1	Fall, Unintentional	38,051
2	MVT. Unintentional	20,960
3	Struck, Unintentional	20,042
4	Overexertion, Unintentional	12,494
5	Cut/pierce, Unintentional	9,709
	Other	42,991
TOTAL		144,247

	Leading Causes of Injury Death All Ages: 2007 to 2009 WARREN		
Rank	Cause	#	
1	MVT Unintentional	13	
	MVT, Unintentional	13	
2	Firearm, Self inflicted	7	
3	Unspecified, Unintentional; Fall,	5	
4	Firearm, Assault	4	
5	Poisoning, Unintentional	3	
	Other	4	
TOTAL		41	

	All Ages: 2007 to 2009 WARREN	
Rank	Cause	#
1	Fall, Unintentional	164
2	MVT, Unintentional	52
3	Unspecified, Unintentional	33
4	Poisoning, Self inflicted	18
5	Poisoning, Unintentional	16
	Other	90
TOTAL	•	373

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 WARREN		
Rank	Cause	#
1	Fall, Unintentional	460
2	MVT, Unintentional	317
3	Struck, Unintentional; Overexertion,	180
4	Unspecified, Unintentional	103
5	Natural/Environ, Unintentional	94
	Other	385
TOTAL		1,719

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death All Ages: 2007 to 2009 WASHINGTON	
Rank	Cause	#
1	MVT, Unintentional	6
2	Poisoning, Unintentional; Firearm,	2
3	Unspecified, Unintentional;	1
4		
5		
	Other	0
TOTAL		15

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 WASHINGTON		
Rank	Cause	#
	= 11 11 1 1 1 1	0.0
1	Fall, Unintentional	98
2	MVT, Unintentional	27
3	Poisoning, Unintentional	16
4	Unspecified, Unintentional	14
5	Other spec/class, Unintentional	10
	Other	54
TOTAL		219

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 WASHINGTON	
Rank	Cause	#
1	Fall, Unintentional	241
2	MVT, Unintentional	158
3	Overexertion, Unintentional	100
4	Unspecified, Unintentional	93
5	Struck, Unintentional	81
	Other	245
TOTAL		918

	Leading Causes of Injury Death All Ages: 2007 to 2009 WATAUGA	
Rank	Cause	#
1 2 3 4	Poisoning, Unintentional MVT, Unintentional Firearm, Self inflicted; Fall, Suffocation, Self inflicted Unspecified, Unintentional; Suffocation, Unintentional; Poisoning, Undetermined; Poisoning, Self inflicted; Firearm, Assault; Fire/Burn, Unintentional; Drowning, Unintentional; Cut/pierce,	22 17 16 4 2
5 <b>TOTAL</b>	Assault Other	7 <b>98</b>

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 WATAUGA		
Rank	Cause	#
1 2 3 4	Fall, Unintentional Poisoning, Self inflicted Unspecified, Unintentional MVT, Unintentional Poisoning, Unintentional	425 61 52 44 40
5 <b>TOTAL</b>	Other	207 <b>829</b>

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 WATAUGA		
Rank	Cause	#	
1 2 3 4	Fall, Unintentional Struck, Unintentional Cut/pierce, Unintentional MVT, Unintentional Overexertion, Unintentional	2,599 943 743 719 714	
5 <b>TOTAL</b>	Other	2,256 <b>7,974</b>	

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 WAYNE		
Rank	Cause	#
1	MVT, Unintentional	65
2	Firearm, Assault	32
3	Firearm, Self inflicted	31
4	Poisoning, Unintentional	30
5	Fall, Unintentional	22
	Other	93
TOTAL		273

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 WAYNE		
Rank	Cause	#
_		
1	Fall, Unintentional	1,093
2	Unspecified, Unintentional	541
3	MVT, Unintentional	321
4	Poisoning, Self inflicted	234
5	Poisoning, Unintentional	140
	Other	775
TOTAL		3,104

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 WAYNE	•
Rank	Cause	#
4	Foll Unintentional	0.400
1	Fall, Unintentional	8,469
2	MVT, Unintentional	4,741
3	Struck, Unintentional	3,831
4	Unspecified, Unintentional	3,226
5	Overexertion, Unintentional	2,824
	Other	10,781
TOTAL		33,872

Leading Causes of Injury Death All Ages: 2007 to 2009 WILKES		
Rank	Cause	#
1	Poisoning, Unintentional	77
2	MVT, Unintentional	54
3	Firearm, Self inflicted	30
4	Fall, Unintentional	14
5	Unspecified, Unintentional	9
	Other	33
TOTAL		217

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 WILKES		
Rank	Cause	#
1	Fall, Unintentional	767
2	MVT, Unintentional	192
3	Poisoning, Self inflicted	150
4	Unspecified, Unintentional	123
5	Poisoning, Unintentional	98
	Other	482
TOTAL		1,812

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 WILKES	
Rank	Cause	#
1	Fall, Unintentional	1,377
2	MVT, Unintentional	834
3	Struck, Unintentional	431
4	Unspecified, Unintentional	417
5	Overexertion, Unintentional	308
	Other	1,583
TOTAL		4,950

Rank	Leading Causes of Injury Death All Ages: 2007 to 2009 WILSON Cause	#
Nalik	Cause	#
_		
1	MVT, Unintentional	45
2	Fall, Unintentional	37
3	Poisoning, Unintentional	16
4	Firearm, Assault	15
5	Firearm, Self inflicted	13
	Other	42
TOTAL		168

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 WILSON		
Rank	Cause	#
1		0
2		0
3		0
4		0
5		0
	Other	422
TOTAL		1,766

	Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 WILSON	•
Rank	Cause	#
	Call Unintentional	4 500
1	Fall, Unintentional	4,563
2	MVT, Unintentional	2,802
3	Overexertion, Unintentional	2,581
4	Unspecified, Unintentional	1,938
5	Struck, Unintentional	1,861
	Other	5,598
TOTAL		19,343

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death All Ages: 2007 to 2009 YADKIN		
Rank	Cause	#
1	MVT, Unintentional	23
2	Poisoning, Unintentional	21
3	Firearm, Self inflicted	12
4	Fall, Unintentional	11
5	Firearm, Assault	5
	Other	19
TOTAL		91

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009 YADKIN		
Rank	Cause	#
1	Fall, Unintentional	453
2	MVT, Unintentional	125
3	Poisoning, Self inflicted	79
4	Unspecified, Unintentional	70
5	Poisoning, Unintentional	58
	Other	230
TOTAL		1,015

	All Ages: 2007 to 2009 YADKIN	
Rank	Cause	#
		0.000
1	Fall, Unintentional	2,662
2	Struck, Unintentional	1,188
3	MVT, Unintentional	881
4	Unspecified, Unintentional	867
5	Overexertion, Unintentional	733
	Other	2,442
TOTAL		8,773

	Leading Causes of Injury Death All Ages: 2007 to 2009 YANCEY	
Rank	Cause	#
1	Poisoning, Unintentional	10
2	Firearm, Self inflicted; Fall,	7
3	MVT, Unintentional	4
4	Unspecified, Unintentional	3
	Suffocation, Self inflicted; Firearm,	2
5	Assault	
	Other	5
TOTAL		40

Leading Causes of Injury Hospitalization** All Ages: 2007 to 2009		
	YANCEY	
Rank	Cause	#
1	Fall, Unintentional	269
2	MVT, Unintentional	36
3	Poisoning, Unintentional	29
4	Unspecified, Unintentional	28
	Other spec/class, Unintentional	24
5		
	Other	115
TOTAL		501

Leading Causes of Injury ED Visits** All Ages: 2007 to 2009 YANCEY		
Rank	Cause	#
1	Fall, Unintentional	532
2	MVT, Unintentional	305
3	Struck, Unintentional	88
4	Natural/Environ, Unintentional	69
	Transport, other, Unintentional	68
5	·	
	Other	489
TOTAL		1,551

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.